Techtronic Industries Nordic
Stamholmen 147, 4
DK-2650 Hvidovre

Tel: (+45) 43 56 55 55
Fax: (+45) 43 56 55 56
Email: kundtjanst@tti-emea.com
C511

Dealer stamp:

4 960673 113420

Ryobi reserve the right to change images, specifications and prices without prior notice.
The use of the trademark RYOBI® is pursuant to a license granted by Ryobi Limited.

POWER TOOLS
09

RYOBI

As one of the largest and most innovative power tool manufacturers in the world, Ryobi are dedicated to delivering outstanding performance and reliability.

We've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their power tools.

Every Ryobi power tool is a culmination of outstanding performance coupled with value and proven reliability, making Ryobi the number one choice for professionals and home-users alike.

2 year WARRANTY

We continue to offer a 2 year warranty on all our products, including the 27 new products that we have introduced for 2009*

*Excluding spares and accessories.

New Products 4

One Plus 6

12v Lithium Compact Cordless Power Tools 36

Cordless Power Tools 44

Corded Power Tools 54

Benchtop 80

Wet & Dry Vacs 92

Intelligent Measuring Tools 96

Power Tool Accessory Sets & Accessories 102

Index 113

NEW Lithium-Ion Compact power comes to One Plus

One Plus, the world's most flexible cordless tool system™ is even more flexible with a choice of Lithium-Ion battery options.

Compatible with every tool in the One Plus range and offering superior performance to the standard 18v (1.7Ah) NiCad unit, both One Plus Lithium-Ion batteries are designed to be even more hard working.

- **Up to twice the performance of standard 18v NiCad batteries**
- **Longer run time**
- **Fade free power**
- **2.4Ah battery cells weigh 10% less than standard 18v NiCad batteries**
- **1.4Ah battery cells weigh 45% less than standard 18v NiCad batteries**

You can experience Lithium-Ion power by simply buying a battery and charger or one of the kits that are available.

See page 6-35

Lithium

AUTO SHIFT

The world's first cordless drill with automatic gear shift

New 18v Autoshift Drill/Driver

- Autoshift - automatically selects the correct gear to suit the material and application

See page 19 & 49

Lithium

30% more compact*

New 18v 2-speed Compact Drill/Driver

*Compared to LDD1802 Drill/Driver

See page 19, 31 & 49

Lithium

Small in size BIG on power

The new 12v compact range of cordless power tools with Lithium power

- Drill/Driver
- Impact Driver
- Circular Saw
- Reciprocating Saw
- Torch

See pages 36-43

RYOBI ONE+ 18v System

8 New Tools

2009 sees 8 new additions to our One Plus range

- Autoshift 2-Speed Drill/Driver
- 2-Speed Compact Drill/Driver
- Impact Driver
- Circular Saw
- Reciprocating Saw
- Flashlight
- Torch
- 18v Compact
- Drill/Driver Kit

See pages 6-35

3 New Accessory Sets

See pages 108-109

One Plus

One Plus Introduction	**08**
Batteries & Chargers	**14**
Drills	**18**
Saws	**22**
Tools	**24**
One Plus Kits	**30**
Tool Bags	**34**

The world's most flexible cordless tool system™

One Plus is the world's most flexible cordless tool system™ where one battery and charger can be used with up to 29 cordless power tools and 7 different garden power tools.

The flexibility of One Plus means that you can build your own cordless tool system, as and when you need to.

Simply buy a battery and charger, choose the tools you need and use the same battery to power all your tools, meaning you don't have the added expense of buying a battery and charger for every tool; saving you money.

One Plus gives you even more choice with the option of the ultra powerful Lithium-Ion battery, the Lithium-Ion compact battery or the standard NiCad battery, giving you the power and flexibility you need to get the job done.

The most affordable way to get into the One Plus system is to buy one of the One Plus starter kits – see page 30 – 33.

To start your One Plus system;

STEP 1

Buy a Lithium-Ion or NiCad battery and charger

STEP 2

Buy the tools you need

STEP 3

Use the same battery to power all your One Plus tools

STEP 4

Save money because you don't need to buy a new battery and charger with your next tool

now with Lithium POWER



Choose between Lithium-Ion & NiCad battery options

Lithium-Ion power comes to One Plus

One Plus, the world's most flexible cordless tool system™ is now even more flexible with two Lithium-Ion battery options. Compatible with every tool in the One Plus range and offering superior performance to the standard 18v NiCad unit, both One Plus 18v Lithium-Ion batteries are designed to be even more hard working.

- **Up to twice the performance of standard 18v NiCad batteries**
- **Longer run time**
- **Fade free power**
- **2.4Ah battery cells weigh 10% less than standard 18v NiCad batteries**
- **1.4Ah battery cells weigh 45% less than standard 18v NiCad batteries**

Increased performance



Example based on cordless drill performance using 30mm wood screws.

Longer run time



Up to 45% less weight



KEY:
- 18v NiCad
- 18v 1.4Ah Lithium-Ion
- 18v 2.4Ah Lithium-Ion

Choose the power option that is best for you

new

18v (1.4Ah) Lithium-Ion Compact Battery

- More Power
- Lightest Weight

Features
- Powerful & compact 18v (1.4Ah) Lithium-Ion battery fits all 18v One Plus Tools
- 45% more compact than the 18v (2.4Ah) Lithium-Ion battery
- 40% lighter than the 18v (2.4Ah) Lithium-Ion battery
- Long run time with fade free power
- 45 minutes recharge time
- Weight: 0.46 kg
- See pages 16-17 for battery and charger combinations

18v (2.4Ah) Lithium-Ion Battery

- More Power
- Light weight
- Longest run time

Features
- Ultra powerful 18v (2.4Ah) Lithium-Ion battery fits all One Plus Tools
- Twice the performance of standard 18v NiCad batteries
- Longer run time with fade free power
- Includes battery level indicator
- Battery cells weigh 10% less than standard 18v NiCad batteries
- One hour recharge time when used with Super Charger
- Weight: 0.77 kg
- See pages 16-17 for battery and charger combinations

18v (1.7Ah) NiCad Battery

Features
- Powerful 18v battery fits all One Plus Tools
- Heavy duty battery housing for longer life and durability
- 45 minute recharge time when used with Super Charger
- Weight: 0.84 kg
- See pages 16-17 for battery and charger combinations

OPTION 1

Choose your own combination...

Whether you need just one or all 29 tools in the range, the beauty of One Plus is that you can build your own One Plus cordless tool system, as and when you need to.

If you're starting from scratch, simply buy a Lithium-Ion or NiCad battery and charger, choose from 29 One Plus tools, and use the same battery to power all your tools, meaning you don't have the added expense of buying a battery and charger for every tool; saving you money.

There's a range of quality, hard wearing tool bags available. Each tool bag has been designed to help you keep all your One Plus tools and accessories together.

See pages 18-29 for more details on individual products.

Three Speed Combi Drill

Two Speed Combi Drill

new

Autoshift Two Speed Drill/Driver

new

Two speed Compact Drill/Driver

Two Speed Drill/Driver

Drill/Driver

Angle Drill

new

Impact Driver

Circular Saw with Laser

new

Circular Saw

Jigsaw with Laser

Reciprocating Saw

new

Reciprocating Saw

Rotary Cutter

Corner Sander

Random Orbit Sander

Angle Grinder

Stapler

Nailer/Stapler

Planer

Caulking Gun

MP3 Compatible Radio

Inflator

new

Torch

new

Flashlight

Fluorescent Light

Canister Vac

Hand Vac

Fan

...and more to come

OPTION 2

...or get into One Plus with a Kit

Whether you choose the new Lithium-Ion or NiCad battery power options, starting with a One Plus kit is the most affordable way to get into the One Plus cordless system.

A range of kits are available which have everything you need including; a combination of Lithium-Ion or NiCad batteries and a different combination of tools all supplied with a hard wearing tool bag.

Plus if you start with a kit you can always add more tools, batteries, chargers or even bags later, as everything in the One Plus range can be bought individually.

See pages 30-33 for more details on kits.

new

Lithium



Lithium



One Plus
Battery & Charger options

Lithium-Ion power comes to One Plus

Increased performance



Example based on cordless drill performance using 30 mm wood screws.

Longer run time



Up to 45% less weight



KEY:
- 18v NiCad
- 18v 1.4Ah Lithium-Ion
- 18v 2.4Ah Lithium-Ion

new

BPL1815
18v (1.4Ah) Lithium-Ion Compact Battery

Features
- Powerful & compact 18v (1.4Ah) Lithium-Ion battery fits all 18v One Plus Tools
- 45% more compact than the 18v (2.4Ah) Lithium-Ion battery
- 40% lighter than the 2.4Ah (2.4Ah) Lithium-Ion battery
- Long runtime with fade free power
- 45 minutes recharge time
- Weight: 0.46 kg
- See pages 16-17 for battery and charger combinations

Lithium

BPL1820
18v (2.4Ah) Lithium-Ion Battery

Features
- Ultra powerful 18v (2.4Ah) Lithium-Ion battery fits all One Plus Tools
- Twice the performance of standard 18v NiCad batteries
- Longer run time with fade free power
- Includes battery level indicator
- Battery cells weigh 10% less than standard 18v NiCad batteries
- One hour recharge time when used with Super Charger
- Weight: 0.77 kg
- See pages 16-17 for battery and charger combinations

Lithium

BPP1817M
18v (1.7Ah) NiCad Battery

Features
- Powerful 18v battery fits all One Plus Tools
- Heavy duty battery housing for longer life and durability
- 45 minute recharge time when used with Super Charger
- Weight: 0.84 kg
- See pages 16-17 for battery and charger combinations

NICAD

Not available

BCL1800
Super Charger

Features
- Super Charger for both Lithium-Ion and NiCad batteries
- Charges 18v Lithium-Ion batteries in 1 hour
- Charges 18v NiCad batteries in 45 minutes
- Full charge indicator light
- Weight: 0.76 kg

BC1815SM
18v NiCad Charger

Features
- Fast charger for NiCad batteries only
- Full charge indicator light
- Weight: 1.2 kg

Not available

Compact Lithium-Ion Battery & Charger Combinations

new

BPL1815
1 x 18v (1.4Ah) Lithium-Ion Battery

new

BPL1815/2
2 x 18v (1.4Ah) Lithium-Ion Batteries

Not available

new

BLK1815
1 x 18v (1.4Ah) Lithium-Ion Battery & Super Charger

new

BLK1815/2
2 x 18v (1.4Ah) Lithium-Ion Batteries & Super Charger

Lithium-Ion Battery & Charger Combinations

BPL1820
1 x 18v (2.4Ah) Lithium-Ion Battery

BPL1820/2
2 x 18v (2.4Ah) Lithium-Ion Batteries

Not available

BLK1820
1 x 18v (2.4Ah) Lithium-Ion Battery & Super Charger

BLK1820/2
2 x 18v (2.4Ah) Lithium-Ion Batteries & Super Charger

NiCad Battery & Charger Combinations

BPP1817M
1 x 18v (1.7Ah) NiCad Battery

Not available

BPP1817M/2
2 x 18v (1.7Ah) NiCad Batteries

Not available

BCP1817
1 x 18v (1.7Ah) NiCad Battery & Charger

Not available

BCP1817/2SM
2 x 18v (1.7Ah) NiCad Batteries & Charger

Not available

Additional Chargers & Fuel Gauge

CB18CL
NiCad In-car Charger

Features

- In-car charger for NiCad batteries only
- Plugs in to car's 12v DC outlet
- ChargePlus™ technology gives battery and charging status using LEDs
- Protective circuitry audibly warns you and shuts down the charger if your car battery is too low
- Weight: 0.86 kg

Not available

new

BCS618
6 Port Battery Maintenance Station

Features

- Dual chemistry charger suitable for Lithium-Ion and NiCad batteries
- Maintenance station – tops up the batteries every 5 days
- Fits 6 batteries
- Electronic feedback shows status of each battery; charging, charged, error
- Systematic battery recharger (charges 1st battery in 1 hour, 2nd battery in the next hour, etc)
- Wall mountable
- Carry handle

AVAILABLE SPRING 2009

new

BFG1218
Battery Fuel Gauge

Features

- Fits all 18v Lithium-Ion and NiCad batteries
- Battery charge indicator LEDs
- Carabineer hook
- Soft grip overmould for improved grip

One Plus Drills

Autoshift – automatically selects the correct gear to suit the material and application



Quick adjustment 24 torque settings

13 mm keyless chuck

Auxiliary handle for added control

CHI1802M
18v 2-Speed Hammer/Drill/Driver

Included as standard
2 x screwdriver bits, hex adapter, depth stop, auxiliary handle

Features
- 13 mm keyless chuck with overmould
- Automatic spindle lock for one-handed bit changing
- 2-gear ranges
- Clutch override for quick mode changes from drilling to driving to hammer action
- Variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- Magnetic screw holder
- On-board bit storage for added convenience
- GripZone™ overmould technology

SPECIFICATIONS
Max. Torque: 37 Nm
Keyless chuck: 13 mm
No load speeds:
0 - 440 rpm Speed 1
0 - 1,600 rpm Speed 2
Blows per minute:
0 - 5,720 bpm Speed 1
0 - 20,800 bpm Speed 2
Max. Drilling capacities:
Wood 32 mm
Steel 13 mm
Masonry 13 mm
Torque settings: 24
Weight: 1.6 kg

new

CDA1802M
18v Autoshift 2-Speed Drill/Driver

Included as standard
2 x screwdriver bits, hex adapter

Features
- Autoshift – automatically selects the correct gear to suit the material and application
- Powerful motor and gearbox producing 59 Nm max. torque
- 13 mm keyless chuck
- Quick adjustment 24 torque settings
- Magnetic screw and bit holder
- 'Soft grip' overmould for improved grip and reduced vibration
- LEDs indicate when gears change and which gear the drill is in
- 2 gears for most materials and applications
- Automatic spindle lock for one-handed bit change

SPECIFICATIONS
Max. Torque: 59 Nm
Keyless chuck: 13 mm
No load speeds:
0 - 440 rpm Speed 1
0 - 1,600 rpm Speed 2
Max. Drilling capacities:
Wood 50 mm
Steel 30 mm
Torque settings: 24
Weight: 1.7 kg

AVAILABLE SPRING 2009

AUTO SHIFT

CDI1803M
18v 3-Speed Hammer/Drill/Driver

Included as standard
2 x double ended screwdriver bits, depth stop, auxiliary handle

Features
- 13 mm metal keyless chuck
- Automatic spindle lock for one-handed bit changing
- 3-gear ranges giving a better performance for a wider range of applications
- Electronic variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- 'Soft grip' overmould for improved grip and reduced vibration

SPECIFICATIONS
Max. Torque: 55 Nm
Keyless chuck: 13 mm
No load speeds:
0 - 370 rpm Speed 1
0 - 750 rpm Speed 2
0 - 2,200 rpm Speed 3
Blows per minute:
0 - 5,920 bpm Speed 1
0 - 12,000 bpm Speed 2
0 - 35,200 bpm Speed 3
Max. Drilling capacities:
Wood 50 mm
Steel 13 mm
Masonry 13 mm
Torque settings: 24
Weight: 2.3 kg

new

LCD1802M
18v 2-Speed Compact Drill/Driver

Included as standard
2 x screwdriver bits, hex adapter

Features
- 30% more compact than the LDD1802 drill driver
- 13 mm keyless chuck
- Quick adjustment 24 torque settings
- Magnetic screw and bit holder
- 'Soft grip' overmould for improved grip and reduced vibration
- 2 gears for most materials and applications
- Automatic spindle lock for one-handed bit change

SPECIFICATIONS
Max. Torque: 37.5 Nm
Keyless chuck: 13 mm
No load speeds:
0 - 440 rpm Speed 1
0 - 1,600 rpm Speed 2
Max. Drilling capacities:
Wood 35 mm
Steel 13 mm
Torque settings: 24
Weight: 1.2 kg

One Plus Drills

CHP1802M
18v 2-Speed Drill/Driver

Included as standard
2 x screwdriver bits, hex adapter

Features
- 13 mm keyless chuck with overmould
- Automatic spindle lock for one-handed bit changing
- 2-gear ranges
- Clutch override for quick mode changes from drilling to driving
- Variable speed, reverse and brake for total control
- On-board bit storage for added convenience
- Magnetic screw holder
- Quick adjustment 24 torque settings
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Max. Torque: 37 Nm
Keyless chuck: 13 mm
No load speeds:
0 - 440 rpm Speed 1
0 - 1,600 rpm Speed 2
Max. Drilling capacities:
Wood 32 mm
Steel 13 mm
Torque settings: 24
Weight: 1.5 kg

Not available

CHD1801M
18v Drill/Driver

Included as standard
2 x screwdriver bits, hex adapter

Features
- 10 mm keyless chuck
- Variable speed, reverse and brake for total control
- LED light for working in dimly lit areas
- Back-lit LED bubble level for convenience and accuracy
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Max. Torque: 16 Nm
Keyless chuck: 10 mm
No load speed: 0 - 650 rpm
Max. Drilling capacities:
Wood 20 mm
Steel 10 mm
Torque settings: 24
Weight: 1.1 kg

BID1821M
18v Impact Driver

new

Included as standard
2 x driver bits

Features
- Keyless hex drive
- Impact mechanism designed to drive long screws and lag bolts
- LED light for better visibility
- Die-cast front gear housing for durability
- Variable speed, reverse and brake for total control
- On-board bit storage for added convenience
- 'Soft grip' overmould for improved grip and reduced vibration

SPECIFICATIONS
Max. Bolt diameter: M14
Hex drive: 6.35 mm (1/4")
Max. Torque: 170 Nm
No load speed: 0 - 2,400 rpm
Blows per minute: 0 - 3,000 bpm
Weight: 1.2 kg

Not available

CAP1801M
18v Angle Drill

Included as standard
2 x double ended screwdriver bits

Features
- 180° rotating base for ease of access to awkward areas
- 10 mm keyless chuck
- Variable speed, reverse and brake for total control
- On-board bit storage for added convenience
- Angle Drill - perfect when working in confined spaces
- 'Soft grip' overmould for improved grip and reduced vibration

SPECIFICATIONS
Keyless chuck: 10 mm
No load speed: 0 - 1,000 rpm
Max. Drilling capacities:
Wood 38 mm
Steel 6 mm
Weight: 1.4 kg

One Plus Saws

CJS180LM
18v Jigsaw with Laser

Included as standard
2 x blades, hex wrench

Features
- Laser guide for cutting accuracy
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Easy base adjustment for 0º to 45º bevel settings
- Variable speed for total control
- Anti-splintering device
- Accepts bayonet and universal fixings
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Length of stroke: 19 mm
No load speed: 0 - 2,100/ min
Max. Cutting capacities:
Wood 40 mm
Weight: 2.0 kg

CRP1801/DM
18v Reciprocating Saw

Included as standard
2 x saw blades

Features
- Universal saw for cutting a variety of materials
- Tool-less blade clamp for quick and easy blade changes
- Variable speed and brake
- 'Soft grip' overmould for improved grip and reduced vibration
- 22 mm stroke length

SPECIFICATIONS
No load speed: 0 - 3,000 rpm
Max. Cutting capacities:
Wood 60 mm
Stroke length: 22 mm
Weight: 1.8 kg

Not available

CCS1801/LM
18v Circular Saw with Laser

Included as standard
1 x 150 mm TCT Kerf blade, side fence

Features
- Laser guide for cutting accuracy
- Large 45 mm cutting depth at 90°
- Ultra thin TCT Kerf blade reduces power drain and increases cutting capacities
- Ideal for laminate worktops, boards and sheet material

SPECIFICATIONS
Blade diameter: 150 mm
Blade width: 1.5 mm
Bore size: 10 mm
No load speed: 0 - 4,200 rpm
Max. Cutting capacities:
At 90° 45 mm
At 45° 32 mm
Weight: 2.5 kg

Not available

new

LCS180
18v Circular Saw

Included as standard
1 x 150 mm TCT Kerf blade, side fence

Features
- Large 45 mm cutting depth at 90°
- Ultra thin TCT Kerf blade reduces mpower drain and increases cutting capacities
- Ideal for laminate worktops, boards and sheet material

SPECIFICATIONS
Blade diameter: 150 mm
Bore size: 10 mm
No load speed: 0 - 4,200 rpm
Max. Cutting capacities:
At 90° 45 mm
At 45° 32 mm
Weight: 2.5 kg

new

LRS180
18v Reciprocating Saw

Included as standard
2 x saw blades

Features
- Universal saw for cutting a variety of materials
- Tool-less blade clamp for quick and easy blade changes
- Variable speed and brake
- 'Soft grip' overmould for improved grip and reduced vibration
- 22 mm stroke length

SPECIFICATIONS
No load speed: 0 - 3,000 rpm
Max. Cutting capacities:
Wood 60 mm
Stroke length: 22 mm
Weight: 1.9 kg

CSS1801M
18v Rotary Cutter

Included as standard
1 x 6.35 mm (1/4") plywood bit, 1 x 3.2 mm (1/8") drywall bit, circle cutter, wrench

Features
- Compact tool ideal for fast precision cutting and trimming of a variety of materials
- Accepts 6.35 mm (1/4") and 3.2 mm (1/8") bits for a variety of cutting applications
- Spindle lock for easy one-wrench bit change
- Adjustable depth settings for cutting various types of material
- Ergonomically designed to improve user comfort

SPECIFICATIONS
No load speed: 22,500 rpm
Collet capacities:
6.35 mm (1/4")
3.2 mm (1/8")
Weight: 1.0 kg

One Plus Tools

Lock on switch for continuous use

Quick-fix hook and loop sanding sheet attachment

GripZone™ overmould technology for improved comfort with a positive grip

CRO180M
18v 125 mm Random Orbit Sander

Included as standard
3 x sanding pads

Features
- Sanding pad size: 125 mm (5") diameter
- Lock on switch for continuous use
- Quick-fix hook and loop sanding sheet attachment
- Body grip design for increased comfort
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
No load speed: 10,000 opm
Sanding pad size: 125 mm (5") diameter
Diameter of orbit: 1.6 mm
Weight: 1.28 kg

CAG180M
18v Angle Grinder

Included as standard
Grinding wheel, wrench, wheel guard, auxiliary handle

Features
- 115 mm (4½") wheel diameter
- 270° rotating base for access to awkward areas
- Three position auxiliary handle with on-board wrench storage for added convenience
- Trigger switch with overmould for comfortable extended use
- Spindle lock for easy wheel and accessory changing
- Tool-less wheel guard for quick and easy adjustment
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Grinding Wheel: 115 mm (4 ½")
Bore size: 22 mm
Spindle thread: M14
No load speed: 6,500 rpm
Weight: 2.2 kg

CST180M
18v Stapler

Included as standard
Assortment of staples

Features
- Fires up to 14 mm staples to handle a wide variety of fastening applications
- Easy to load magazine accommodates up to 84 staples
- Depth adjustment knob regulates depth of staple for a variety of applications
- Low staple view window indicates time to reload
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Staple capacity: 6 - 14 mm (T50)
Magazine capacity: 84 staples
Speed: 40 staples/per min
Weight: 1.8 kg

CCC1801M
18v Corner Sander

Included as standard
Assortment of sanding papers

Features
- Sanding pad size: 140 mm x 100 mm
- Lock on switch for continuous use
- Quick-fix hook and loop sanding sheet attachment
- GripZone™ overmould for improved grip and reduced vibration

SPECIFICATIONS
No load speed: 11,000 opm
Sanding pad size: 140 mm x 100 mm
Diameter of orbit: 1.8 mm
Weight: 0.83 kg

CNS1801M
18v Nailer/Stapler

Included as standard
Assortment of brad nails/staples

Features
- Fires up to 32 mm Brad Nails and 14 mm Staples to handle a wide variety of fastening applications
- Easy to load magazine accommodates up to 100 Brad Nails or 84 Staples for larger projects
- Depth adjustment knob regulates depth of the Brad Nail/Staple for a variety of applications
- Front activation pin on the magazine helps prevent accidental Brad Nail/Staple firing
- 'Soft grip' overmould for improved grip and reduced vibration

SPECIFICATIONS
Nail capacity: 19 - 32 mm (18 gauge)
Staple capacity: 6 - 14 mm (T50)
Magazine capacity:
Brad Nails 100
Staples 84
Speed: 40 staples/per min
Weight: 0.85 kg

Not available

One Plus Tools

CPL180M
18v Planer

Included as standard
2 x reversible TCT blades, side fence, dust bag, wrench

Features
- Chamfering groove in die-cast front shoe for added precision
- Positive depth adjustment 0 - 0.4 mm
- Additional front handle for greater control
- Side fence included for precision planing
- Kick stand to prevent damage to the work piece when tool is not in use
- DustTech™ Integrated dust technology for maximum pick-up efficiency
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS

Planning width: 50 mm
Planning depth: 0 - 0.4 mm
Rebating: 12.7 mm
No load speed: 10,000 rpm
Weight: 1.7 kg

CCG1801M
18v Caulking Gun

Features
- 200+ tubes of latex per charged battery
- Switch lock helps prevent accidental start-ups
- Variable speed adjustment lever for flow control
- Easy release manual push rod for quick reloading
- Over 225 kg (500 lb) of push force to handle the higher viscosity materials
- Durable gears and carriage frame help ensure tool longevity
- On-board puncture tool to brake tube seal if needed
- 'Soft grip' overmould for improved grip and reduced vibration

SPECIFICATIONS

No load speed:
High 5.5 mm/s
Low 1 mm/s
Max. output force: 225 kg
Tube capacity: 310 ml
Weight: 1.7 kg

CRA180M
18v MP3 Compatible Radio

Included as standard
3.5mm auxiliary cable

Features
- Auxiliary jack – compatible with MP3, CD players, etc
- Convenient switch from FM to auxiliary input
- On/off switch via volume control dial
- Manual and automatic tuning
- Fold out flexible antenna
- Low battery indicator
- 90 mm speaker

SPECIFICATIONS

Speaker output: 3 w
Speaker diameter: 90 mm
Frequency: 87.5 - 108 FM MHz
Weight: 0.52 kg

CP180M
18v Inflator

Included as standard
Sport ball needle, tapered adapter, short valve adapter, long valve removal tool, replacement fuse

Features
- High pressure inflation for tyres and sports balls
- Low pressure, high volume for air mattresses, rafts, and inflatables
- LCD display for digital readout during high pressure inflation
- Plus and minus buttons to select required pressure
- Tethered storage caps with adapter tray prevent loss of accessories
- Lock-on button allows automatic inflation up to 40 psi, manual inflation to 150 psi

SPECIFICATIONS

Max. pressure: 150 psi
High pressure hose length: 457 mm
Low pressure hose length: 457 mm
Weight: 2.8 kg

CFA180M
18v Fan

Features
- 2 speed settings
- 5 blades for improved efficiency
- Tilting foldable stand for quick and easy angle adjustment and convenient storage
- Foldable hook for user convenience
- Light weight for easy transportation

SPECIFICATIONS

Blade diameter: 254 mm
Air velocity: 1150 fpm
Run time: up to 7 hours
Weight: 1.67 kg

One Plus Tools

CML180M
18v Flashlight

new

Features
- High intensity halogen bulb for maximum lighting
- Suitable for horizontal positioning for hands-free use
- Vertical positioning for all around illumination
- Lock-on allows light to be used continuously without holding the switch
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS

Light: 6v Halogen
Weight: 0.7 kg

LFP1802S
18v Torch

new

Features
- Pivoting head for perfect illumination for all tasks
- Flat base for added stability
- Soft touch trigger for comfort

SPECIFICATIONS

Weight: 0.3 kg

CFP180FM
18v Fluorescent Light

Included as standard
1 x fluorescent tube

Features
- Perfect for bright, all around illumination
- Powerful fluorescent tube
- Incorporated hanging hook for added convenience
- Features Lock-on and Lock-off switch

SPECIFICATIONS

Weight: 0.45 kg

Not available

OWD1801M
18v Wet/Dry Canister Vac

Included as standard Car nozzle, crevice nozzle, wet/dry nozzle, extension wand, hose, paper filters, wet filter, detachable tool storage

Features
- Wet and dry pick up for all cleaning needs
- Removable blower detaches for light duty blowing applications
- Conveniently located On/Off switch allows easy reach in either blowing or vacuum mode
- Easy pour drain helps prevent spilling
- Detachable tool storage accommodates all accessories included with room for other tools

SPECIFICATIONS

Suction power: 25 air watts
Tank capacity: 7.6 l
Hose length: 1.5 m
Hose diameter: 30 mm
Weight: 3.1 kg

CHV18WDM
18v Wet/Dry Hand Vac

Included as standard
Crevice, brush, squeegee attachments

Features
- Cleans up both wet and dry spills
- Go-anywhere, fast cleaner
- Quick-change replacement filter
- Easy-clean dust cup
- 'Soft grip' overmould for improved grip and reduced vibration

SPECIFICATIONS

Max. air flow: 0.85 m^3/min
Collection capacity: 173 ml
Weight: 0.86 kg

One Plus Kits

13 mm metal keyless chuck with overmould

Clutch override for quick mode changes from drilling to driving to hammer action

GripZone™ overmould technology for improved comfort with a positive grip

On-board bit storage for added convenience

CHI1802L/BG
Starter Kit with Lithium-Ion Battery

Included as standard
1 x 18v (2.4Ah) Lithium-Ion battery, Super Charger, 2 x screwdriver bits, hex adapter, depth stop, auxiliary handle, tool bag

Features
Combi Drill (CHI1802M)
- 13 mm keyless chuck with overmould
- Automatic spindle lock for one-handed bit changing
- 2-gear ranges
- Clutch override for quick mode changes from drilling to driving to hammer action
- Variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- Magnetic screw holder
- GripZone™ overmould technology for improved comfort with a positive grip

Not available

new

LCD18021B*
Compact Drill/Driver Kit

Included as standard
1 x 18v (1.4Ah) Lithium-Ion battery, Super Charger, 2 x screwdriver bits, hex adapter, tool bag

Features
18v 2-speed Compact Drill/Driver (LCD1802)
- 30% more compact than the LDD1802 drill driver
- 13mm keyless chuck
- Quick adjustment 24 torque settings
- Magnetic screw and bit holder
- ‘Soft grip’ overmould for improved grip and reduced vibration
- 2 gears for most materials and applications
- Automatic spindle lock for one-handed bit changing

*** 2 x battery option also available (LCD18022B)**

CHI1802M/BGSC
Starter Kit with NiCad Batteries

Included as standard 2 x 18v (1.7Ah) NiCad batteries, Super Charger, 2 x screwdriver bits, hex adapter, depth stop, auxiliary handle, tool bag

Features

Combi Drill (CHI1802M)

- 13 mm keyless chuck with overmould
- Automatic spindle lock for one-handed bit changing
- 2-gear ranges
- Clutch override for quick mode changes from drilling to driving to hammer action
- Variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- Magnetic screw holder
- GripZone™ overmould technology for improved comfort with a positive grip

Not available

CCK18/2006SC
2 Piece Kit Combi Drill & Angle Drill

Included as standard 2 x 18v (1.7Ah) NiCad batteries, Super Charger, 4 x screwdriver bits, hex adapter, depth stop, auxiliary handle, tool bag

Features

Combi Drill (CHI1802M)

- As Combi Drill spec in Starter Kit CHI1802L/BG

Angle Drill (CAP1801M)

- 180° rotating base
- Perfect for working in confined spaces
- 10 mm keyless chuck
- Electronic variable speed (0-1,000 rpm), reverse and brake
- Max. drilling capacities: Wood 38 mm, Steel 6 mm
- 'Soft grip' overmould for improved grip and reduced vibration

Not available

CCK18/2007SC
2 Piece Kit Combi Drill & Circular Saw with Laser

Included as standard 2 x 18v (1.7Ah) NiCad batteries, Super Charger, 2 x screwdriver bits, hex adapter, depth stop, auxiliary handle, 1 x circular saw blade, side fence, small heavy duty tool bag

Features

Combi Drill (CHI1802M)

- As Combi Drill spec in Starter Kit CHI1802L/BG

Circular Saw with Laser (CCS1801/LM)

- Laser guide for cutting accuracy
- Large 45 mm cutting depth at 90°
- Ultra thin TCT Kerf blade reduces power drain and increases cutting capacities
- Ideal for laminate worktops, boards and sheet material

Not available

CCK18/2008SC
2 Piece Kit Combi Drill & Jigsaw with Laser

Included as standard 2 x 18v (1.7Ah) NiCad batteries, Super Charger, 2 x screwdriver bits, hex adapter, depth stop, hex wrench, auxiliary handle, 2 x jigsaw blades, side fence, tool bag

Features

Combi Drill (CHI1802M)

- As Combi Drill spec in Starter Kit CHI1802L/BG

Jigsaw with Laser (CJS180LM)

- Laser guide for cutting accuracy
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Easy base adjustment for 0º to 45º bevel settings
- Variable speed for total control
- Anti-splintering device
- Accepts bayonet and universal fixings
- GripZone™ overmould technology for improved comfort with a positive grip

Not available

CCK18/3004SC
3 Piece Kit Combi Drill, Jigsaw with Laser & Circular Saw with Laser

Included as standard 2 x 18v (1.7Ah) NiCad batteries, Super Charger, 2 x screwdriver bits, hex adapter, depth stop, auxiliary handle, 1 x circ. saw blade, 2 x jigsaw blades, hex wrench, 2 x side fences, medium heavy duty tool bag

Features

Combi Drill (CHI1802M)

- 13 mm keyless chuck with overmould
- Automatic spindle lock for one-handed bit changing
- 2-gear ranges
- Clutch override for quick mode changes from drilling to driving to hammer action
- Variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- Magnetic screw holder
- GripZone™ overmould technology

Jigsaw with Laser (CJS1801LM)

- Laser guide for cutting accuracy
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Easy base adjustment for 0º to 45º bevel settings
- Variable speed for total control
- Anti-splintering device
- Accepts bayonet and universal fixings
- GripZone™ overmould technology

Circular Saw with Laser (CCS1801/LM)

- Laser guide for cutting accuracy
- Large 45 mm cutting depth at 90°
- Ultra thin TCT Kerf blade reduces power drain and increases cutting capacities
- Ideal for laminate worktops, boards and sheet material

Not available

One Plus Tool Bags

UTB2
Tool Bag

Features
- Hard wearing double nylon construction
- Robust webbing handles and shoulder strap
- Reinforced with metal rivets
- Multiple external and internal pockets for tool and accessory storage
- Padded handles
- Metal framed opening
- Size: 355 mm x 203 mm x 279 mm

UTB3
Small Heavy Duty Tool Bag

Not available

Features
- Hard wearing double nylon construction
- Robust webbing handles and shoulder strap
- Reinforced with metal rivets
- Multiple external and internal pockets for tool and accessory storage
- Padded handles
- Metal framed opening
- Size: 420 mm x 250 mm x 280 mm

UTB4
Medium Heavy Duty Tool Bag

Not available

Features
- Hard wearing double nylon construction
- Robust webbing handles and shoulder strap
- Reinforced with metal rivets
- Multiple external and internal pockets for tool and accessory storage
- Padded handles
- Metal framed opening
- Size: 460 mm x 305 mm x 305 mm

UTB6
Large Heavy Duty Tool Bag

Not available

Features
- Hard wearing double nylon construction
- Robust webbing handles and shoulder strap
- Reinforced with metal rivets
- Multiple external and internal pockets for tool and accessory storage
- Metal framed opening
- Size: 620 mm x 330 mm x 355 mm

UTB7
Universal Tool Bag with Alumimium Handle

Features
- Aluminium top support carry handle
- Heavy duty fabric and stitching for rugged durability
- Rigid side and bottom frame to support outer fabric shell
- Roll-up top cover provides protection and stores on-board accessories
- Multiple external and internal pockets for tool and accessory storage
- Size: 568 mm x 280 mm x 260 mm

12v Lithium Compact Cordless Power Tools

Introduction **38**

12v Lithium Compact Cordless Power Tools **40**

Small in size BIG on power

The NEW 12v range of compact cordless power tools with Lithium Power

Compact 12v Drill/Driver Standard 12v Drill/Driver

- **Holds charge 3x longer***
- **33% lighter weight***
- **30% more compact***

The new 12v Lithium Compact range is smaller in size and lighter in weight for easier handling and more comfortable working. These compact tools deliver a level of power beyond their size and are ideal for access to awkward areas.

The new 12v Lithium-Ion battery offers the same level of power as a standard 18v NiCad battery and holds its charge for up to 3 times longer with fade-free performance.

As well as a convenient carry bag, the new 12v Compact tools (except 12v Torch) come supplied with a smaller, lighter Lithium-Ion battery plus 45 minute charger.

*Compared to Ryobi CHD1201

See page 40

See page 41

12v Lithium Compact Range kit available

See page 43

12v Drill Driver

12v Impact Driver

12v Circular Saw

12v Reciprocating Saw

12v Torch

12v Lithium Compact Cordless Tools

33% lighter weight 30% more compact

12v Lithium-Ion battery - lightweight to ensure maximum control

'Soft grip' overmould for improved grip and reduced vibration

new

BID1201
12v Impact Driver

Included as standard
1 x (1.2Ah) Lithium-Ion battery, 45 minute charger, tool bag

Features
- 12v (1.2Ah) Lithium-Ion battery – lightweight to ensure maximum control
- 12v Lithium-Ion charger – 45 minute charge time
- 'Soft grip' overmould for improved grip and reduced vibration
- On-board bit storage for added convenience

SPECIFICATIONS
Hex drive: 6.35 mm (1/4")
Max. Torque: 85 Nm
No load speed:
0 - 1,600 rpm
Blows per minute:
0 - 2,250 rpm
Weight: 1.18 kg

Lithium

Not available

new

CR1201
12v Reciprocating Saw

Included as standard
1 x (1.2Ah) Lithium-Ion battery, 45 minute charger, 1 x reciprocating saw blade, tool bag

Features
- 12v (1.2Ah) Lithium-Ion battery – lightweight to ensure maximum control
- 12v Lithium-Ion charger – 45 minute charge time
- 'Soft grip' overmould for improved grip and reduced vibration

SPECIFICATIONS
No load speed:
0 - 1,850 rpm
Max. Cutting capacities:
Wood 50 mm
Stroke length: 12.7 mm
Weight: 1.18 kg

Lithium

new

LSD1201PB
12v Drill Driver*

Included as standard
1 x (1.2Ah) Lithium-Ion battery, 45 minute charger, double ended drill bit, tool bag

Features
- 12v (1.2Ah) Lithium-Ion battery – lightweight to ensure maximum control
- 12v Lithium-Ion charger – 45 minute charge time
- 0.8-10 mm keyless chuck for quick and easy bit changes
- Variable speed, reverse and brake for total control
- Only 17 cm overall length to give user maximum control
- 'Soft grip' overmould for improved grip and reduced vibration

*** 2 x battery option also available (LSD1202PB)**

SPECIFICATIONS
Max. Torque: 12 Nm
Keyless chuck: 10 mm
No load speed:
0 - 550 rpm
Max. Drilling capacities:
Wood 20 mm
Steel 10 mm
Weight: 1.0 kg

Lithium

new

CS1201
12v Circular Saw

Included as standard
1 x (1.2Ah) Lithium-Ion battery, 45 minute charger, 20 tooth TCT blade, allen key, tool bag

Features
- 12v (1.2Ah) Lithium-Ion battery – lightweight to ensure maximum control
- 12v Lithium-Ion charger – 45 minute charge time
- 'Soft grip' overmould for improved grip and reduced vibration
- Spindle lock for easy blade change

SPECIFICATIONS
Blade diameter: 86 mm
Bore size: 15 mm
No load speed:
0 - 2,000 rpm
Max. Cutting capacities:
At 90° 24 mm
At 45° 17.5 mm
Weight: 1.74 kg

Lithium

Not available

12v Lithium Compact Cordless Power Tools

new

CLK124
4 Piece Kit

Lithium

Included as standard

2 x 12v (1.2Ah) Lithium-Ion batteries, 45 minute charger, 2 x screwdriver bits, hex adapter, 1 x double ended drill bit, 1 x reciprocating saw blade, 20 tooth TCT blade and allen key, tool bag

Features

12v Drill Driver (LSD1201PB)
- Compatible with 12v (1.2Ah) Lithium-Ion battery – light weight to ensure maximum control
- 0.8-10 mm keyless chuck for quick and easy bit changes
- Variable speed, reverse and brake for total control

12v Reciprocating Saw (CR1201)
- Compatible with 12v (1.2Ah) Lithium-Ion battery – light weight to ensure maximum control
- 'Soft grip' overmould for improved grip and reduced vibration

12v Circular Saw (CS1201)
- Compatible with 12v (1.2Ah) Lithium-Ion battery – light weight to ensure maximum control
- 'Soft grip' overmould for improved grip and reduced vibration
- Spindle lock for easy blade change

12v Torch (CKF120LM)
- Compatible with 12v (1.2Ah) Lithium-Ion battery – light weight to ensure maximum control
- 'Soft grip' overmould for improved grip and reduced vibration

new

CKF120LM
12v Torch

Features
- Pivoting head for perfect illumination for all tasks
- Flat base for added stability
- Weight: 0.18 kg

Lithium

Not available

new

BPL1220
12v (1.2Ah) Lithium-Ion Battery

Features
- Light weight to ensure maximum control
- Longer run time with fade free power
- 45 minute recharge time
- Weight 0.24 kg

Lithium

Cordless Power Tools

Screwdrivers **46**

Drill/Drivers **48**

Rotary Hammer & Hammer/Drill/Drivers **52**

Screwdrivers

Secure QuickChange™ chuck with automatic spindle lock for one handed bit changing

12 Torque settings

GripZone™ overmould technology for improved comfort with a positive grip

LED light for working in dimly lit areas

CSD4030G
4v Lithium-Ion Screwdriver

Included as standard
Gripcase with 30 screwdriver bits, charger

Features
- Secure QuickChange™ chuck with automatic spindle lock for one handed bit changing
- 12 Torque settings
- Reverse action to remove screws
- Forward/Reverse indicator
- LED light for working in dimly lit areas
- Overmould switch for added comfort
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Battery: 4v
No Load speeds: 180 rpm
Max. Torque: 5.3 Nm

Lithium

CSD480CL
4.8v Pistol Grip Screwdriver

Included as standard
3 - 5 hour charger, 16 screwdriver bits, 7 extension bits, 7 drill bits, carry case

Features
- 6.35 mm (1/4") hex chuck with automatic spindle lock
- 12 torque settings
- Reverse action to screw and unscrew
- Magnetic hex drive fitting
- Rubber handle providing excellent grip and reduced vibration

SPECIFICATIONS
Battery: 4.8v
No load speed: 300 rpm

Not available

CSD3612G
3.6v Screwdriver

Included as standard
Gripcase with 11 screwdriver bits, extension bit, charger

Features
- 6.35 mm (1/4") hex chuck with automatic spindle lock
- Reverse action to screw and unscrew
- Overmould pivot knob to adjust the angle of the handle
- LED light for working in dimly lit areas
- Barrel twists for either in-line or pistol grip driving
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Battery: 3.6v
No load speed: 180 rpm
Max. Torque: 1.96 Nm

Drill Drivers

Autoshift – automatically selects the correct gear to suit the material and application

Quick adjustment 24 torque settings

13 mm keyless chuck

Auxiliary handle for added control

new

CDA18021B*

18v Autoshift 2-speed Drill/Driver

Included as standard

1 x 18v (1.4Ah) Lithium-Ion battery, Super Charger, 2 x screwdriver bits, hex adapter, tool bag

Features

- Autoshift – automatically selects the correct gear to suit the material and application
- Powerful motor and gearbox producing 59 Nm max. torque
- 13 mm keyless chuck
- Quick adjustment 24 torque settings
- Magnetic screw and bit holder
- 'Soft grip' overmould for improved grip and reduced vibration
- LEDs indicate when gears change and which gear the drill is in
- 2 gears for most materials and applications
- Automatic spindle lock for one handed bit change

*** 2 x battery option also available (CDA18022B)**

SPECIFICATIONS

Battery: 18v (1.4Ah) Lithium-Ion
Keyless chuck: 13 mm
No load speed:
0 - 440 rpm Speed 1
0 - 1,600 rpm Speed 2
Max. Drilling capacities:
Wood 50 mm
Steel 30 mm
Torque settings: 24
Max. Torque: 59 Nm
Weight: 2.16 kg

Lithium

AVAILABLE SPRING 2009

AUTO SHIFT

new

LCD18021B*

18v 2-speed Compact Drill/Driver

Included as standard

1 x 18v (1.4Ah) Lithium-Ion battery, Super Charger, 2 x screwdriver bits, hex adapter, tool bag

Features

- 30% more compact than the LDD1802 drill driver
- 13 mm keyless chuck
- Quick adjustment 24 torque settings
- Magnetic screw and bit holder
- 'Soft grip' overmould for improved grip and reduced vibration
- 2 gears for most materials and applications
- Automatic spindle lock for one handed bit change

*** 2 x battery option also available (LCD18022B)**

SPECIFICATIONS

Battery: 18v (1.4Ah) Lithium-Ion
Keyless chuck: 13 mm
No load speed:
0 - 440 rpm Speed 1
0 - 1,600 rpm Speed 2
Max. Drilling capacities:
Wood 35 mm
Steel 13 mm
Torque settings: 24
Max. Torque: 37.5 Nm
Weight: 1.66 kg

Lithium

CHP1802
18v 2-speed Drill/Driver

Not available

Included as standard

2 x 18v (1.7Ah) NiCad batteries, 2 x screwdriver bits, hex adapter, fast charger, carry case

Features

- 13 mm keyless chuck for quick and easy bit changes
- 2 gear ranges
- Clutch override for quick mode changes from drilling to driving
- Variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board storage for added convenience
- Magnetic tray for screws
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS

Battery: 18v (1.7Ah) NiCad
Keyless chuck: 13 mm
No load speed:
0 - 440 rpm Speed 1
0 - 1,100 rpm Speed 2
Max. Drilling capacities:
Wood 32 mm
Steel 13 mm
Torque settings: 24
Max. Torque: 37 Nm
Weight: 2.42 kg

Drill Drivers

24 Torque settings

Variable speed, reverse and brake

LED light for working in dimly lit areas

GripZone™ overmould technology for improved comfort with a positive grip

CHD1441
14.4v Drill/Driver

Included as standard
2 x (1.3Ah) NiCad batteries, 2 x screwdriver bits, hex adapter, charger, carry case

Features
- 10 mm keyless chuck for quick and easy bit changes
- Variable speed, reverse and brake for total control
- LED light for working in dimly lit areas
- Back lit LED bubble level for convenience and accuracy
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Battery: 14.4v (1.3Ah) NiCad
Keyless chuck: 10 mm
No load speed: 0 - 650 rpm
Max. Drilling capacities:
Wood 20 mm
Steel 10 mm
Torque settings: 24
Max. Torque: 12 Nm
Weight: 1.77 kg

CHD1202
12v 2-Speed Drill/Driver

Included as standard
2 x (1.7Ah) NiCad batteries, 2 x screwdriver bits, hex adapter, fast charger, carry case

Features
- 10 mm keyless chuck for quick and easy bit changes
- 2 gear ranges for high and low speed drilling applications
- Variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board storage for added convenience
- Magnetic tray for screws
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Battery: 12v (1.7Ah) NiCad
Keyless chuck: 10 mm
No load speed:
0 - 350 rpm Speed 1
0 - 1,250 rpm Speed 2
Max. Drilling capacities:
Wood 20 mm
Steel 10 mm
Torque settings: 24
Max. Torque: 27 Nm
Weight: 1.7 kg

CHD1442
14.4v 2-Speed Drill/Driver

Included as standard
2 x (1.7Ah) NiCad batteries, 2 x screwdriver bits, hex adapter, fast charger, carry case

Features
- 13 mm keyless chuck for quick and easy bit changes
- 2 gear ranges for high and low speed drilling applications
- Clutch override for quick mode changes from drilling to driving
- Variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board storage for added convenience
- Magnetic tray for screws
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Battery: 14.4v (1.7Ah) NiCad
Keyless chuck: 13 mm
No load speed:
0 - 400 rpm Speed 1
0 - 1,400 rpm Speed 2
Max. Drilling capacities:
Wood 32 mm
Steel 13 mm
Torque settings: 24
Max. Torque: 34 Nm
Weight: 2.2 kg

CHD1201
12v Drill/Driver

Included as standard
2 x (1.3Ah) NiCad batteries, 2 x double ended screwdriver bits, charger, carry case

Features
- 10 mm keyless chuck for quick and easy bit changes
- Variable speed, reverse and brake for total control
- LED light for working in dimly lit areas
- Back lit LED bubble level for convenience and accuracy
- Quick adjustment 24 torque settings
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Battery: 12v (1.3Ah) NiCad
Keyless chuck: 10 mm
No load speed: 0 - 600 rpm
Max. Drilling capacities:
Wood 20 mm
Steel 10 mm
Torque settings: 24
Max. Torque: 10 Nm
Weight: 1.6 kg

Rotary Hammer and Hammer/Drill/Drivers

13 mm metal keyless chuck with overmould

Clutch override for quick mode changes from drilling to driving to hammer action

GripZone™ overmould technology for improved comfort with a positive grip

On-board bit storage for added convenience

CRH240RE
24v SDS-Plus Rotary Hammer

Included as standard 2 x 24v (2.0Ah) NiCad batteries, fast charger, 13 mm chuck and adapter, auxiliary handle, depth stop, blow moulded carry case

Features

- Large 20 mm drilling capacity into concrete or masonry
- 13 mm keyless chuck adapter means the CRH240RE can be used for wood and steel drilling/driving
- Dual mode so you can drill with Hammer ON or Hammer OFF
- Variable speed, reverse and brake for total control
- Powerful 2.0 Joules impact energy
- Built-in spirit levels for accuracy

SPECIFICATIONS

Battery: 24v (2.0Ah) NiCad
Impact Energy: 2.0 Joules
Shank Type: SDS Plus
No load speed: 0 - 1,000 rpm
Blows per minute: 0 - 5,200 bpm
Max. Drilling capacities:

Masonry	20 mm
Wood	20 mm
Steel	13 mm

Weight: 4 kg

CHI1802
18v 2-Speed Hammer/Drill/Driver

Included as standard
2 x (1.7Ah) NiCad batteries, 2 x screwdriver bits, hex adapter, fast charger, carry case

Features

- 13 mm keyless chuck for quick and easy bit changes
- Clutch override for quick mode changes from drilling to driving to hammer action
- Variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- Magnetic screw holder
- Depth stop for improved drilling accuracy
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS

Battery: 18v (1.7Ah) NiCad
Max. Torque: 37 Nm
Keyless chuck: 13 mm
No load speeds:

0 - 440 rpm	Speed 1
0 - 1,600 rpm	Speed 2

Blows per minutes:

0-5,720 bpm	Speed 1
0-20,800 bpm	Speed 2

Max. Drilling capacities:

Wood	32 mm
Steel	13 mm
Masonry	13 mm

Torque settings: 24
Weight: 2.52 kg



CHI1442
14.4v 2-Speed Hammer/Drill/Driver

Included as standard 2 x (1.7Ah) NiCad batteries, 2 x screwdriver bits, hex adapter, fast charger, side handle, depth stop, carry case

Features

- 13 mm keyless chuck for quick and easy bit changes
- Automatic spindle lock for one handed bit changing
- Clutch override for quick mode changes from drilling to driving to hammer action
- Variable speed, reverse and brake for total control
- On-board bit storage for added convenience
- Magnetic tray for screws
- Depth stop for improved drilling accuracy
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS

Battery: 14.4v (1.7Ah) NiCad
Max. Torque: 34 Nm
Keyless chuck: 13 mm
No load speeds:

0 - 390 rpm	Speed 1
0 - 1,350 rpm	Speed 2

Blows per minute:

0-5,200 bpm	Speed 1
0-18,200 bpm	Speed 2

Max. Drilling capacities:

Wood	32 mm
Steel	13 mm
Masonry	13 mm

Torque settings: 24
Weight: 2.3 kg

Corded Power Tools

Introduction	**56**
Impact Drills & Mixer	**58**
Rotary Hammer Drills	**60**
Screwdrivers	**62**
Grinders & Cutters	**64**
Sheet Sanders	**66**
Sanders	**68**
Saws	**70**
Planers	**74**
Routers & Router Tables	**76**
Heat Guns	**78**

Encompassing the latest in modern design and technology

All power tools in our range have been designed to help you work safer and more efficiently. We've done this by including technology which helps improve safety, comfort, performance and usability.

DustTech™, our revolutionary active dust extraction system, is one such feature. Using integrated clean air technology for maximum pick-up, DustTech™ offers cleaner operation for our sanders and planers – virtually eliminating the release of dust into the atmosphere.

See page 66

See page 74

See page 58

See page 76

Features designed to improve safety, comfort, performance and usability

1. DustTech™ integrated dust technology system for maximum pick-up efficiency

2. Livetool Indicator™ – glows blue when plugged into the power supply

3. GripZone™ overmould technology for improved comfort with a positive grip

4. Laser guide system for improved cutting accuracy

5. LED lights for improved cutting visibility

6. Bit storage cassette inside auxiliary handle

7. Wrench storage inside auxiliary handle

Impact Drills & Mixer

Livetool Indicator™ – glows blue when plugged into the power supply

GripZone™ overmould technology for improved comfort with a positive grip

Bit storage cassette in auxiliary handle

Heavy duty 2-speed gear box for high torque applications

EID750REN
750w Impact Drill

Included as standard
5 x Masonry Drill bits, 3 x HSS Drill bits, 2 x Driver bits, auxiliary handle, depth stop, carry case

Features
- 13 mm keyless chuck
- Variable speed forward and reverse
- 2 directional built-in spirit level for accuracy
- Spindle lock for tool free accessory changing
- Bit storage cassette in auxiliary handle
- Easy switch from rotary drilling to rotary impact action
- Overmould variable speed trigger
- Livetool Indicator™
- GripZone™ – overmould technology

SPECIFICATIONS
Power input: 750 watt
Keyless chuck: 13 mm
No load speed: 0 - 2,800 rpm
Blows per minute: 0 - 44,800 bpm
Max. Drilling capacities:

Masonry	13 mm
Wood	30 mm
Steel	13 mm

Weight: 2.3 kg

EID8002RE
800w 2-Speed Impact Drill

Included as standard
5 x Masonry Drill bits, 5 x Wood Drill bits, 3 x HSS Drill bits, auxiliary handle, depth stop, carry case

Features
- 13 mm heavy duty keyless chuck
- Variable speed forward and reverse
- 2 directional built-in spirit level for accuracy
- Spindle lock for tool free accessory changing
- 2-speed gear box
- Bit storage cassette in auxiliary handle
- Easy switch from rotary drilling to rotary impact action
- Overmould variable speed trigger
- Livetool Indicator™
- GripZone™ overmould technology

SPECIFICATIONS
Power input: 800 watt
Keyless chuck: 13 mm
No load speed: 0 - 1,000 / 0 - 3,000 rpm
Blows per minute:
0 - 16,000 / 0 - 48,000 bpm
Max. Drilling capacities:

Masonry	16 mm
Wood	30 mm
Steel	13 mm

Weight: 2.7 kg

EID1002RE
1050w 2-Speed Impact Drill

Included as standard
5 x Masonry Drill bits, 5 x Wood Drill bits, 5 x HSS Drill bits, auxiliary handle, depth stop, carry case

Features
- 13 mm heavy duty keyless chuck
- Variable speed forward and reverse
- Spindle lock for tool free accessory changing
- Heavy duty 2-speed die-cast gear box
- Bit storage cassette in auxiliary handle
- 2 directional built-in spirit levels for accuracy
- Easy switch from rotary drilling to rotary impact action
- Overmould variable speed trigger
- Livetool Indicator™
- GripZone™ overmould technology

SPECIFICATIONS
Power input: 1,050 watt
Keyless chuck: 13 mm
No load speed: 0 - 1,300 / 0 - 2,880 rpm
Blows per minute:
0 - 20,800 / 0 - 46,080 bpm
Max. Drilling capacities:

Masonry	16 mm
Wood	40 mm
Steel	13 mm

Weight: 2.9 kg

EID500RE
500w Impact Drill

Included as standard
5 x HSS Drill bits, auxiliary handle, depth stop, carry case

Features
- 13 mm keyless chuck
- Variable speed forward and reverse
- Easy switch from rotary drilling to rotary impact action
- Overmould variable speed trigger for total control
- Livetool Indicator™ – glows blue when plugged into the power supply
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Power input: 500 watt
Keyless chuck: 13 mm
No load speed: 0 - 2,700 rpm
Blows per minute: 0 - 43,200 bpm
Max. Drilling capacities:

Masonry	13 mm
Wood	25 mm
Steel	10 mm

Weight: 2.28 kg

PMT1362
2-Speed Power Mixer

Included as standard
Screw propeller, auxiliary handle, wrench

Features
- Powerful high torque motor
- Mixes a wide range of materials
- Two speeds to suit materials of different viscosity
- Supplied with shaft and propeller
- Large shield protects motor and moving parts from paint or plaster splashes
- Extended auxiliary handle with rubber grip, for better control and added comfort
- See page 111 for additional paddles

SPECIFICATIONS
Power input: 750 watt
Screw propeller size: 135 mm
No load speeds:

1,300 rpm	High
600 rpm	Low

Overall length: 912 mm
Weight: 3.6 kg

Not available

Rotary Hammer Drills

Livetool Indicator™ – glows blue when plugged into the power supply

GripZone™ overmould technology for improved comfort with a positive grip

Variable speed and reverse for total control

Rotation stop for light chiselling, hammer stop for drilling and driving

ERH650V
650w SDS-Plus Rotary Hammer Drill

Included as standard
360° auxiliary handle, depth stop, carry case

Features
- Hammer stop for drilling into wood, steel, ceramics and screwdriving applications
- Safety clutch to protect operator if bit jams
- 2 directional built-in spirit level for accuracy
- Variable speed forward and reverse
- Overmould variable speed trigger
- Livetool Indicator™ – glows blue when plugged into the power supply
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Power input: 650 watt
Shank type: SDS-Plus
Impact energy: 1.9 Joules
No load speed: 0 - 1,100 rpm
Blows per minute: 0 – 4,000 bpm
Max. Drilling capacities:
Wood 32 mm
Steel 13 mm
Masonry 20 mm
Weight: 2.9 kg

ERH750V
710w* SDS-Plus ‘ROTO STOP’ Rotary Hammer Drill

Included as standard 13 mm keyless chuck & adaptor, 3 x SDS drill bits, 1 x flat chisel, 360° auxiliary handle, depth stop, carry case

Features
- Rotation stop for light chiselling
- Hammer stop for drilling and driving applications
- Safety clutch to protect operator if bit jams
- Includes 13 mm keyless chuck and adaptor
- 2 directional built-in spirit level for accuracy
- Variable speed forward and reverse
- Overmould variable speed trigger
- Livetool Indicator™ – glows blue when plugged in to the power supply
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Power input: 710 watt (230v)
650 watt (110v)*
Shank type: SDS-Plus
Impact energy: 2.0 Joules
No load speed: 0 - 1,100 rpm
Blows per minute: 0 – 4,000 bpm
Max. Drilling capacities:
Wood 32 mm
Steel 13 mm
Masonry 24 mm
Weight: 2.9 kg

Screwdrivers

Optional ASD75 extension piece for those hard to reach places

Depth sensitive nose piece included as standard

Optional ASD75 increases screw capacity to 75 mm

Automatic screwdriver for rapid, accurate fixings – ideal for overhead use

Not available

ESD6040V
Auto-feed Screwdriver

Included as standard

Auto-feed attachment (ASD50), removable depth sensitive nose, adjustable sleeve, magnetic bit holder, 25 mm #2 Philip long bit, hex key attachment adapter, carry case

Features

- Fast screw driving with collated screws (25 mm – 50 mm)
- ASD75 extension piece extends screw capacity up to 75 mm and is available as an optional extra
- Easy adjustment for screw setting
- Can be used as drywall screwdriver with its removable depth sensitive nose
- Variable speed and reverse
- 'Soft Grip' insert improves grip and comfort

SPECIFICATIONS

Power input: 600 watt
Max. Torque: 14 Nm
Reversible motor: Yes
No load speeds: 0 - 4,000 rpm
Max. Screw diameter: 13.5 mm
Driving shank: 6.35 mm
Weight: 1.9 kg

Standard equipment included
ESD6040V
Accepts collated from 25 mm to 50 mm screws

Accessories Included

Part No.	Description	Suits Model
ASD50	50 mm Auto-feed Nose	ESD6040V

ESD6040V featuring standard Depth Sensitive Nose

ESD6040V featuring standard 50 mm Auto Feed (ASD50)



Optional Accessory Kit
ASD75 Kit to fit ESD6040V
Extends collated screw capacity from 50 mm to 75 mm

Accessories Included

Part No.	Description	Suits Model
ASD75	75 mm Extension piece	ESD6040V

50 mm Auto Feed Nose

Long Extension included with ASD75 kit

ESD6040V shown with optional 75 mm Extension piece fitted to 50 mm Auto-feed nose



Grinders & Cutters

G1156
115 mm (4½") Angle Grinder

Included as standard
Wheel guard, wrench, auxiliary handle

Features
- Light in weight but huge power from 920 watt industrial motor for the most demanding applications
- Forward-facing handle is the natural way to hold a grinder for safer control and longer, more comfortable use
- Spindle lock for easy wheel changing
- Low profile gear housing for grinding in confined spaces
- Central switch for left or right handed use
- Lock on switch for continuous use

SPECIFICATIONS
Power input: 920 watt
Grinding wheel: 115 mm (4½")
Bore size: 22 mm
Spindle thread: M14
No load speed: 11,000 rpm
Overall length: 274 mm
Weight: 1.7 kg

Not available

EAG8011
115 mm (4½") Angle Grinder

Included as standard
1 x grinding wheel, 1 x wrench, wheel guard, auxiliary handle, carry case

Features
- Two position auxiliary handle with on-board wrench storage for added convenience
- Tool-less wheel guard for quick and easy adjustment
- Spindle lock for easy wheel and accessory changing
- Livetool Indicator™ – glows blue when plugged into the power supply
- Lock on switch for continuous use

SPECIFICATIONS
Power input: 800 watt
Grinding wheel: 115 mm (4½")
Bore size: 22 mm
Spindle thread: M14
No load speed: 11,000 rpm
Weight: 2.18 kg

EAG8012
125 mm (5") Angle Grinder

Included as standard
1 x grinding wheel, wrench, side handle, carry case

Features
- Two position auxiliary handle with on-board wrench storage for added convenience
- Tool-less wheel guard for quick and easy adjustment
- Spindle lock for easy wheel and accessory changing
- Die-cast aluminium gear and spindle housings
- Ergonomic easy to hold tapered rear grip
- Livetool Indicator™ – glows blue when plugged into the power supply

SPECIFICATIONS
Power input: 800 watt
Grinding wheel: 125 mm (5")
Bore size: 22 mm
Spindle thread: M14
No load speed: 11,000 rpm
Weight: 2.4 kg

EAG8512R
125 mm (5") Angle Grinder with Rotating Back Handle

Included as standard
1 x grinding wheel, wrench, side handle, carry case

Features
- Two position auxiliary handle with on-board wrench storage for added convenience
- Full length trigger switch, with overmould for comfortable extended use
- Tool-less wheel guard for quick and easy adjustment
- Spindle lock for easy wheel and accessory changing
- Die-cast aluminium gear and spindle housings
- Ergonomic easy to hold tapered rear grip
- Livetool Indicator™ – glows blue when plugged into the power supply
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Power input: 850 watt
Grinding wheel: 125 mm (5")
Bore size: 22 mm
Spindle thread: M14
No load speed: 11,000 rpm
Weight: 2.8 kg

EAG2023CN*
230 mm (9") Angle Grinder with Rotating Back Handle

Included as standard
1 x grinding wheel, 1 x wrench, wheel guard, auxiliary handle

Features
- 180° multi-directional rotating back handle for improved comfort and control
- Three position auxiliary handle with on-board wrench storage for added convenience
- Full-length trigger switch, with overmould for comfortable extended use
- Tool-less wheel guard for quick and easy adjustment
- Livetool Indicator™ – glows blue when plugged into the power supply
- GripZone™ overmould technology for improved comfort with a positive grip

* 110v option also available (EAG2023CN-1)

SPECIFICATIONS
Power input: 2,000 watt
Grinding wheel: 230 mm (9")
Bore size: 22 mm
Spindle thread: M14
No load speed: 6,000 rpm
Weight: 6.5 kg

ECO2335 (230V)*
355 mm (14") Cut Off Saw

Features
- 0° - 45° mitre capacity
- Quick release vice
- Spindle lock for easy wheel and accessory changing
- Spark deflector confines the spark spray
- Easy adjustable mitre gauge handle
- Oversize guard for added safety
- On-board wrench storage
- Rubber feet for greater stability
- Changeable carbon brushes
- Livetool Indicator™ – glows blue when plugged into the power supply
- GripZone™ overmould technology for improved comfort with a positive grip

* 110v option also available (ECO1835)

SPECIFICATIONS
Power input: 2,300 watt (230v)
1,800 watt (110v)
No load speed: 3,800 rpm
Cutting capacity:
Round pipe
90° / 45° 115 mm
Angle stock
90° / 45° 137 / 100 mm
Flat metal stock
90° / 45° 119 x 119 /106 x 106 mm
Wheel diameter: 355 mm
Bore diameter: 25.4 mm
Weight: 16 kg

Sheet Sanders

Quick-fixing clamping mechanism for sanding sheet attachment

DustTech™ Integrated dust technology system for maximum pick-up efficiency

Livetool Indicator™– glows blue when plugged into the power supply

GripZone™ overmould technology for improved comfort with a positive grip

ESS3215V
½ Sheet Sander

Included as standard
1 x 60, 100 and 150 grit sanding papers, paper punch pad, carry case

Features
- Powerful 320 watt motor
- Quick-fixing clamping mechanism for sanding sheet attachment
- Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use
- Variable speed for total control
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone™ overmould technology

SPECIFICATIONS
Power input: 320 watt
No load speed: 6,000 - 12,000 opm
Sanding pad size: 115 x 229 mm
Diameter of orbit: 2.2 mm
Weight: 2.2 kg

ESS1890C
⅓ Sheet Sander

Included as standard
2 x 60, 100 and 150 grit sanding papers, paper punch pad, dust bag

Features
- Powerful 180 watt motor
- Quick-fix hook and loop sanding sheet attachment with paper clamps
- Overmould ON/OFF switch for durability and ease of use
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™

SPECIFICATIONS
Power input: 180 watt
No load speed: 12,000 opm
Sanding pad size: 92 x 185 mm
Diameter of orbit: 1.6 mm
Weight: 1.5 kg

ESS2590V
⅓ Sheet Sander

Included as standard
2 x 60, 100 and 150 grit sanding papers, paper punch pad, dust bag, carry case

Features
- Powerful 250 watt motor
- Quick-fix hook and loop sanding sheet attachment with paper clamps
- Die-cast aluminium base for strength and durability
- Variable speed for total control
- Overmould ON/OFF switch for durability and ease of use
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone™ overmould technology

SPECIFICATIONS
Power input: 250 watt
No load speed: 6,000 - 12,000 opm
Sanding pad size: 92 x 185 mm
Diameter of orbit: 1.6 mm
Weight: 1.9 kg

EOS2410N
¼ Sheet Palm Sander

Included as standard
2 x 60, 100 and 150 grit sanding papers, paper punch pad, dust bag, carry case

Features
- Powerful 240 watt motor
- Quick-fix hook and loop sanding sheet attachment with paper clamps
- Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use
- Compact palm grip handle for added comfort
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone™ overmould technology

SPECIFICATIONS
Power input: 240 watt
No load speed: 14,000 opm
Sanding pad size: 110 x 114 mm
Diameter of orbit: 1.6 mm
Weight: 1.56 kg

Not available

Sanders

Die-cast aluminium base for strength and durability

DustTech™ Integrated dust technology system for maximum pick-up efficiency

Livetool Indicator™– glows blue when plugged into the power supply

Gripzone™ overmould technology for improved comfort with a positive grip

ERO2412VN
125 mm Random Orbit Sander

Included as standard
2 x 60, 100, 150, 180 and 240 grit sanding papers, dust bag, carry case

Features
- Powerful 240 watt motor
- Quick-fix hook and loop sanding sheet attachment
- Variable speed for total control
- Overmould ON/OFF switch for durability and ease of use
- Compact palm grip for added comfort
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Power input: 240 watt
No load speed: 7,000 - 12,000 opm
Sanding pad size: 125 mm
Diameter of orbit: 2.4 mm
Weight: 1.7 kg

EBS8021V
76 mm (3") Belt Sander

Included as standard
1 x 60, 100, 120 sanding belts, 2 x inversion clamps for finishing, dust bag, carry case

Features
- Powerful 800 watt motor with variable speed for sanding a variety of materials
- Pivoting front handle to suit your working position
- Quick release belt system
- Auto belt tracking system with manual alignment for total precision
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone™ overmould technology
- Sanding frame available as optional extra

SPECIFICATIONS
Power input: 800 watt
Belt speed: 150 - 300 m/min
Sanding pad size: 76 x 533 mm
Belt width: 76 mm
Weight: 3.6 kg

EBS9576VF
76 mm (3") Belt Sander

Included as standard
Aluminium frame, 2 x G-clamps, dust bag, sanding belt, blow moulded case

Features
- Double ball bearing 950 watt mounted motor
- Electronic speed selector and variable speed control; 150 – 400 metres/min, adjust to match the job
- Belt setting allowing sanding of skirting boards and sanding frame for sanding larger areas
- Quick change belt system, easy tracking set-up
- Aluminium die cast body and belt housing
- Dust extractor with bag
- 'Soft Grip' large overmould handles for improved grip and reduced vibration
- Flat top design for bench mounting
- Lock on feature

SPECIFICATIONS
Power input: 950 watt
Belt speed: 240 - 400 m/min
Sanding pad size: 75 x 533 mm
Overall length: 350 mm
Weight: 5 kg

ECS1214N
Corner Sander

Included as standard
2 x 80, 100 and 150 grit sanding papers, paper punch pad, dust bag, carry case

Features
- Powerful 120 watt motor
- Quick-fix hook and loop sanding sheet attachment
- Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use
- Compact palm grip handle for added comfort
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone™ overmould technology

SPECIFICATIONS
Power input: 120 watt
No load speed: 12,000 opm
Diameter of orbit: 1.6 mm
Sanding pad size: 99 x 139 mm
Weight: 1.28 kg

EBS1310V
100 mm (4") Belt Sander

Included as standard
Sanding belts, dust bag, carry case, sanding frame

Features
- Powerful 4" belt size (610 mm x 100 mm) and powerful 1,350 watt motor for rapid stock sanding and finishing
- Variable speed control 240 – 400 metres/min, adjust to match the job
- Quick change belt system, easy tracking set-up
- Sanding frame for sanding larger areas
- Powerful vacuum system for clean operation
- 'Soft Start' for smoother starting
- 'Soft Grip' overmould for improved grip and reduced vibration

SPECIFICATIONS
Power input: 1,350 watt
Belt speed: 240 - 400 m/min
Sanding belt size: 610 mm x 100 mm
Belt width: 100 mm
Weight: 6.4 kg

Saws

Livetool Indicator™ – Glows blue when plugged into the power supply

GripZone™ overmould technology for improved comfort with a positive grip

Tool-less base adjustment for easy 0° to 45° bevel settings

Tool-less blade clamp for quick and easy blade change

EJS500QEO
500w Jigsaw

Included as standard
1 x blade, dust port, parallel fence, carry case

Features
- 3 stage pendulum action for enhanced cutting performance
- Tool-less, fast, easy blade change
- Overmould variable speed trigger for total control
- Base bevels from 0° to 45° left and right
- Livetool Indicator™
- GripZone™ overmould technology

SPECIFICATIONS
Power input: 500 watt
No load speed: 0 – 2,600 rpm
Length of stroke: 16 mm
Max. Cutting capacities:

Wood	70 mm
Aluminium	18 mm
Steel	6 mm

Weight: 2.4 kg

EJS600QEO
600w Jigsaw

Included as standard
15 x assorted blades, dust port, parallel fence, carry case

Features
- 4 stage pendulum action for enhanced cutting performance
- Tool-less, fast, easy blade change
- 2 x LED lights for improved cutting visibility
- Variable speed for total control
- Die-cast front housing for strength & durability
- Tool-less base adjustment for easy 0° to 45° bevel settings
- Anti-splintering device
- Livetool Indicator™
- GripZone™ overmould technology

SPECIFICATIONS
Power input: 600 watt
No load speed: 600 – 2,600 rpm
Length of stroke: 20 mm
Max. Cutting capacities:

Wood	75 mm
Aluminium	20 mm
Steel	8 mm

Weight: 2.45 kg

EJS710QEO
710w Jigsaw

Included as standard
5 x assorted blades, dust port, parallel fence, 5 x anti-splintering inserts, carry case

Features
- 4 stage pendulum action for enhanced cutting performance
- Tool-less, fast, easy blade change
- 2 x LED lights for improved cutting visibility
- Tool-less blade adjustment for easy 0° to 45° bevel settings
- Variable speed for total control
- Vibration reducing handle for user comfort
- Anti-splintering device
- Livetool Indicator™
- GripZone™ overmould technology

SPECIFICATIONS
Power input: 710 watt
No load speed: 700 – 3,000 rpm
Length of stroke: 26 mm
Max. Cutting capacities:

Wood	120 mm
Aluminium	20 mm
Steel	10 mm

Weight: 3.39 kg

Saws

Adjustable base 0º-45º bevel settings

Laser guide system improves accuracy

LED lights for improved cutting visibility

Parallel guide

ERS80V
Variable Speed Reciprocating Saw

Included as standard
3 x reciprocating blades, carry case

Features
- Powerful 800 watt motor
- Variable speed trigger: 500 - 3,000 strokes/min
- Metal gear box for strength and durability
- Generous 28 mm stroke length for faster cutting
- Tool-less, fast, easy blade change
- 'Soft grip' overmould for improved grip and reduced vibration

SPECIFICATIONS
Power input: 800 watt
No load speed: 500 – 3,000 spm
Length of stroke: 28 mm
Weight: 2.8 kg

EWS1266
190 mm (7½") Circular Saw

Included as standard
18-tooth TCT blade, wrench, parallel fence, carry case

Features
- Powerful 1,250 watt motor
- Adjustable base for 0°- 45° bevel settings
- Adjustable depth setting for efficient cutting
- Spindle lock for single wrench blade change
- Dust port for efficient dust collection
- On-board wrench storage for added convenience
- Livetool Indicator™

SPECIFICATIONS
Power input: 1,250 watt
No load speed: 4,500 rpm
Max. Cutting capacities:
at 90° 66 mm
at 45° 38 mm
Bore size: 16 mm
Blade size: 190 mm
Weight: 5.0 kg

EWS1366
190 mm (7½") Laser Circular Saw

Included as standard
18-tooth TCT blade, wrench, parallel fence, carry case

Features
- Laser guide system improves accuracy
- Powerful 1,350 watt motor
- 2 x LED lights for improved cutting visibility
- Adjustable base for 0°- 45° bevel settings
- Spindle lock for single wrench blade change
- Dust port for efficient dust collection
- Livetool Indicator™
- GripZone™ overmould technology

SPECIFICATIONS
Power input: 1,350 watt
No load speed: 4,500 rpm
Max. Cutting capacities:
at 90° 66 mm
at 45° 38 mm
Bore size: 16 mm
Blade size: 190 mm
Weight: 5.2 kg

Planers

Livetool Indicator™ – glows blue when plugged into the power supply

DustTech™ Integrated dust technology system for maximum pick-up efficiency

GripZone™ overmould technology for improved comfort with a positive grip

Left and right dust extraction ports for convenience

EPN6082C
600w Planer

Included as standard
2 x TCT blades, dust bag, side fence, wrench

Features
- Powerful 600 watt motor
- 0.5mm chamfering groove in die-cast front shoe for added precision
- Positive dial adjustment from 0-1.5 mm planing depth
- Dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- Kick stand to prevent damage to the work piece when tool is not in use
- Die-cast front shoe for precision accuracy
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Power input: 600 watt
Planing capacities:
Planing width: 82 mm
Planing depth: 1.5 mm
Rebating: 0 – 8 mm
No load speed: 16,000 rpm
Weight: 3.1 kg

EPN7582N
750w Planer

Included as standard
2 x TCT blades, dust bag, side fence, wrench, carry case

Features
- Powerful 750 watt motor
- 3 chamfering grooves (0.5,1,1.5 mm) in die-cast front shoe for added precision
- Double sided fence for precision planing
- Positive dial adjustment from 0-2.0 mm planing depth
- Overmould dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- Die-cast front shoe for precision accuracy
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS
Power input: 750 watt
Planing capacities:
Planing width: 82 mm
Planing depth: 2.0 mm
Rebating: 0 – 12 mm
No load speed: 16,000 rpm
Weight: 3.2 kg

Routers & Router Tables

Livetool Indicator™ – glows blue when plugged into the power supply

GripZone™ overmould technology for improved comfort with a positive grip

2 x LED lights for improved cutting visibility

ERT1500V
½" 1350w Router

Included as standard
1/4" and 3/8" bit adaptors, 30mm template guide, parallel fence, spanner, 3 x router cutters, dust nozzle, carry case

Features
- Powerful 1,350 watt motor with 'Soft Start'
- Accepts 1/2", 3/8" and 1/4" router bits
- Electronic variable speed 15,000 – 25,000 rpm
- Precision depth stop control
- Plunge depth 50 mm
- Depth micro adjustment for added accuracy
- Features bellows to protect columns

SPECIFICATIONS

Power input: 1,350 watt
No load speed: 15,000 – 25,000 rpm
Collet capacity: 1/2", 3/8", 1/4"
Plunge capacity: 50 mm
Weight: 4 kg

ERT1150VN
¼" 1150w Router

Included as standard
8 x assorted cutters, template guide, parallel fence, spanner, carry case

Features
- Accepts 1/4" and 3/8" router bits
- Electronic variable speed
- 'Soft Start' for smoother starting
- Fine height adjustor
- Precision depth control for accurate cutting
- 3 pre-set depth stops
- Spindle lock for easy (one spanner) cutter changes
- Livetool Indicator™
- GripZone™ overmould technology

SPECIFICATIONS

Power input: 1,150 watt
No load speed: 14,000 – 31,500 rpm
Collet capacity: 1/4", 3/8"
Plunge capacity: 55 mm
Weight: 3.7 kg

ERT1150VN/RT3
Router Table with ¼" 1150w Router

Included as standard
1/4" 1150w Router ERT1150VN, feather board, pressure clamp

Features
- Comes with 1/4" 1150w Router ERT1150VN
- Adjustable step risers with 0.8 mm increments for better support of work piece
- Protective cover adjustable to height of workpiece and easy connection to dust extraction system
- Storage compartment for bits
- Mitre guide
- 5 table inserts to convert the router

SPECIFICATIONS

Table dimensions:
610 mm x 355 mm
Left/right extensions:
200 mm x 355 mm

ERT2100V
½" 2100w Router

Included as standard
1/2", 1/4" bits, 25 mm template guide, parallel fence, dust port, wrench, carry case

Features
- Accepts 1/2" and 1/4" router bits
- Electronic variable speed for total control
- Powerful 2100 watt motor with 'Soft Start'
- 2 x LED lights for improved cutting visibility
- Fine cutting depth adjustment and 3 pre-set depth stops
- Fine height adjuster ideal when router is used with a router table
- Constant depth control for consistent finishing
- Spindle lock for easy (one spanner) cutter changes
- Double sided parallel fence with fine adjustment
- Livetool Indicator™

SPECIFICATIONS

Power input: 2,100 watt
No load speed: 8,000 - 23,000 rpm
Collet capacity: 1/2", 1/4"
Plunge capacity: 60 mm
Weight: 6.33 kg

ART03
Router Table

Included as standard
Feather board, pressure clamp

Features
- Aluminium die-cast table for added strength, durability and accuracy
- Adjustable die-cast rear fence for accurate straight routing
- Table extensions for increased support
- Anti-kick back for safety
- 5 removable insert rings to support wider work piece
- Adjustable blade guard doubles as extraction port
- Feather box for feeding the timber into the router bit
- Detachable cutter storage box for added convenience
- Accepts all 230v Ryobi routers

SPECIFICATIONS

Table dimensions (without extensions):
355 mm x 610 mm
Table dimensions (with extensions):
355 mm x 1010 mm
Weight: 20.5 kg

Not available

Heat Guns

Variable temperature dial

Two air flow settings

LCD temperature indicator

Soft grip inserts for greater control

EHG2002C
Heat Gun

Included as standard
2 x nozzles

Features
- Removable front heat shield
- Overheat protection sensor
- Two air flow settings
- Convenient hanging hook

SPECIFICATIONS
Power input: 2,000 watt
Heat settings: 60 - 600ºC
Air flow: 250/500 l/min
Weight: 0.84 kg

EHG2002LED
LED Heat Gun

Included as standard
4 nozzles, scraper, set of 3 stripping knives with holder, carry case

Features
- LED temperature indicator lights
- Electronic thermostat
- 2 positions for temperature and air flow
- Protected against abnormal rises in temperature
- Non-slip dual-material rear handle for a better grip
- Includes stand for vertical use

SPECIFICATIONS
Power input: 2,000 watt
Heat settings: 50°-550° / 50°-650°
Air flow: 250/500 l/min
Weight: 0.68 kg

EHG2002LCD
Heat Gun Kit

Included as standard
4 x nozzles, 4 x scrapers, scraper plate rod, carry case

Features
- LCD temperature indicator
- Removable front heat shield
- Overheat protection sensor
- Two air flow settings
- Two variable heat settings
- Variable temperature control dial
- Soft grip inserts for greater control
- Convenient hanging hook

SPECIFICATIONS
Power input: 2,000 watt
Heat settings: 50 - 500ºC/50 - 650ºC
Air flow: 250/500 l/min
Weight: 0.94 kg

RYOBI

Benchtop

Mitre Saws	**82**
Table Saws & Band Saw	**84**
Drill Press	**86**
Thicknesser & Bench Grinders	**88**
Stands	**90**

Mitre Saws

Ergonomically designed handle to give support and comfort for user

Livetool Indicator™ – glows blue when plugged into the power supply

Sliding fence adjusts for increased work support

Repeat cut support for quick and accurate repeat cutting

EMS1426L
254 mm (10") Mitre Saw with Laser

Included as standard

40-tooth TCT blade, extensions, clamps, dustbag, wrench

Features

- Exactline Laser Technology™ for improved accuracy when cutting
- Ergonomically designed handle for improved comfort
- 10° negative bevel for greater bevel cutting capabilities
- Unique handle at rear of unit to help transportation
- 9 pre-set index angles
- Timber support arms
- Easy to read scales for maximum accuracy
- DustTech™ Integrated dust technology
- Livetool Indicator™
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS

Power input: 1,400 watt
Blade diameter: 254 mm (10")
Blade Type: TCT
No load speed: 4,500 rpm
Mitre capacity: 45° L and R
Bevel capacity: 45° L and 10° R
Max. Cutting capacity:
90° mitre / 90° bevel
135 mm x 75 mm
90° mitre / 45° bevel
135 mm x 45 mm
45° mitre / 90° bevel
90 mm x 75 mm
45° mitre / 45° bevel
92 mm x 48 mm
Weight: 13 kg

EMS2026SCL
254 mm (10") Sliding Mitre Saw with Laser

Included as standard

40-tooth TCT blade, extensions, clamps, dust bag, wrenches

Features

- Exactline Laser Technology™
- Ergonomically designed handle for improved comfort
- Powerful 2000 watt motor, producing 4,500 rpm
- Extra wide side extensions to support large timber
- 9 pre-set index angles including: 0°, 15°, 22.5°, 30° and 45°
- Fully adjustable depth stop for trenching
- Sliding fence adjusts for increased work support
- Quick action mitre lock handle for faster mitre settings
- Repeat cut support for quick and accurate repeat cutting
- Built-in spindle lock for easy single wrench blade changes
- Easy to read scales for maximum accuracy
- Livetool Indicator™

SPECIFICATIONS

Power input: 2,000 watt
Blade diameter: 254 mm (10")
Blade type: 40-tooth TCT
No load speed: 4,500rpm
Mitre capacity: 47° L and 45° R
Bevel capacity: 45° L
Max. Cutting capacity:
90° mitre / 90° bevel
305 mm x 90 mm
90° mitre / 45° bevel
305 mm x 42 mm
45° mitre / 90° bevel
215 mm x 90 mm
45° mitre / 45° bevel
215 mm x 42 mm
Weight: 19.57 kg

EMS1122L
210 mm (8¼") Mitre Saw with Laser

Included as standard

24-tooth TCT blade, extensions, clamps, dust bag, wrench

Features

- Exactline Laser Technology™ for improved accuracy when cutting
- Ergonomically designed handle for improved comfort
- 10° negative bevel for greater bevel cutting capabilities
- Unique handle at rear of unit to help transportation
- 9 pre-set index angles
- Safety lever
- Timber support arms
- Easy to read scales for maximum accuracy
- DustTech™ Integrated dust technology
- Livetool Indicator™
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS

Power input: 1,100 watt
Blade diameter: 210 mm (8 1/4")
Blade type: TCT
No load speed: 5,000 rpm
Mitre capacity: 45° L and R
Bevel capacity: 45° L and 10° R
Max. Cutting capacity:
90° mitre / 90° bevel
120 mm x 50 mm
90° mitre / 45° bevel
120 mm x 22 mm
45° mitre / 90° bevel
85 mm x 50 mm
45° mitre / 45° bevel
85 mm x 22 mm
Weight: 7.5 kg

EMS2431SCL
315 mm (12") Mitre Saw with Laser

Included as standard

48-tooth TCT blade, extensions, clamps, dust bag, wrenches

Features

- Exactline Laser Technology™ for improved accuracy when cutting
- Ergonomically designed handle for improved comfort
- Powerful 2,400 watt motor
- Extra wide side extensions to support large timber
- 9 pre-set mitre stops
- Built-in spindle lock for easy single wrench blade changes
- DustTech™ Integrated dust technology
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS

Power input: 2,400 watt
Blade diameter: 315 mm (12")
Blade type: TCT
No load speed: 4,200 rpm
Mitre capacity: 57º L and R
Bevel capacity: 45° L
Max. Cutting capacity:
90° mitre / 90° bevel
300 mm x 110 mm
90° mitre / 45° bevel
300 mm x 70 mm
45° mitre / 90° bevel
210 mm x 110 mm
45° mitre / 45° bevel
210 mm x 70 mm
Weight: 25 kg

Table Saws & Band Saw

Sliding carriage guarantees a smooth action to improve quality of cut

Mitre gauge allows precise angle to be cut quickly and accurately for cross cutting

Self-aligning rip fence with quick-lock handle ensures fence is parallel with blade for every cut

ETS1526SC
254 mm (10") Table Saw with Sliding Carriage

Included as standard
1 x 40 tooth TCT blade, rip fence, mitre gauge, push stick, wrenches

Features
- Sliding carriage guarantees a smooth action to improve quality of the cut
- Extension tables provide large working area of 1110 x 638 mm
- Self-aligning rip fence with quick-lock handle ensures fence is parallel with blade for every cut
- Large die-cast aluminium table to provide maximum support for cutting
- Mitre gauge allows precise angle to be cut quickly and accurately for cross cutting
- Emergency stop for added safety
- Livetool Indicator™

SPECIFICATIONS
Power input: 1,500 watt
No load speed: 4,500 rpm
Blade diameter:
254 mm (10") 40 tooth TCT
Max. Cutting depth:

At 90°	80 mm
At 45°	55 mm

Bore size: 30 mm
Table dimensions:
1,110 mm x 638 mm
Weight: 25.56 kg

ETS1825
254 mm (10") Folding Table Saw

Included as standard
36-tooth TCT blade, rip fence, mitre gauge and fence, stand and wheels, push stick, push stick holder

Features
- Hugely versatile table saw with 90 mm max cutting depth (53 mm at 45°)
- Fast 4,800 rpm no load speed for effortless, accurate cutting
- Folding stand and wheels for ease of transport
- Precision saw for accurate cross-cutting and ripping for boards and timber
- Adjustable rear and side extensions perfect for supporting large boards
- Dust port at rear and on blade guard
- Adjustable cutting scale when table extends

SPECIFICATIONS
Power input: 1,800 watt
No load speed: 4,800 rpm
Blade diameter: 254 mm (10")
Blade bore: 30 mm
Max. Cutting depth:

At 90°	90 mm
At 45°	53 mm

Table dimensions:
1020 mm x 646 mm
Weight: 41.5 kg

ETS1526AL
254 mm (10") Table Saw

Included as standard
1 x 40 tooth TCT blade, rip fence, mitre gauge, push stick, wrenches

Features
- Large die-cast aluminium table to provide maximum support for cutting
- Dual purpose handle for easy height and bevel angle adjustment
- Self-aligning rip fence with quick-lock handle ensures fence is parallel with blade for every cut
- Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- Strong and durable stand with rubber feet to provide full support and stability
- Livetool Indicator™

SPECIFICATIONS
Power input: 1,500 watt
No load speed: 4,500 rpm
Blade diameter:
254 mm (10") 40 tooth TCT
Max. Cutting depth:

At 90°	80 mm
At 45°	55 mm

Bore size: 30 mm
Table dimensions: 722 mm x 640 mm
Weight: 16.4 kg

RBS3080
254 mm (10") Band Saw

Included as standard
Rip fence, circle cutting guide, 10 mm blade

Features
- Precision, tool-less adjustment of roller blade guides
- Tungsten carbide thrust bearings for longer life
- Polished cast-iron table tilts 0 - 45° for bevel cuts
- Robust construction throughout reduces vibration and improves cutting accuracy
- Upper and lower cast aluminium band wheels are rubber coated to prevent slipping and vibration
- Dust extraction port 35/85 mm
- No-volt release switch prevents accidental machine restart after power disconnection
- Floor stand available as an optional extra, see page 112

SPECIFICATIONS
Power input: 300 watt
Throat size: 254 mm
Cutting height: 90 mm
Blade length: 1,700 mm
No load speed: 900 m/min
Table tilt: 0 - 45°
Table size: 343 mm x 362 mm
Overall dimensions without stand:
475 mm x 325 mm x 850 mm
Weight: 35 kg

While stocks last

Drill Press

Variable speed with digital read-out

Exactline Laser Technology™ for improved accuracy when drilling

Work light helps to illuminate the work area

Multi-purpose work table with 360º rotation and up to 45º bevel for angle drilling

EDP5530L
305 mm (12") Drill Press with Variable Speed and Laser

Features

- Variable speed with digital read-out
- Exactline Laser Technology™ for improved accuracy when drilling
- 550 watt induction motor
- Multi-purpose work table with 360° rotation and up to 45° bevel for angle drilling
- Rack and pinion table height adjustment
- Internal safety micro switch prevents accidental usage
- Accepts mortising attachments, 13 mm chuck capacity
- Locking knob, locking depth stop for repetitive application
- Work light helps to illuminate the work area
- Emergency stop for added safety
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS

Power input: 550 watt
No load speed: 450 - 2,500 rpm
Spindle taper: B16
Chuck capacity: 13 mm
Spindle travel: 80 mm
Max. Drilling capacity: 13 mm
Spindle to column: 152.5 mm
Column diameter: 65 mm
Table size: 273 mm diameter
Base size: 420 mm x 280 mm
Overall height: 889 mm
Weight: 38 kg

Thicknesser & Bench Grinders

Large in-feed and out-feed foldable extension tables with rollers

Dust extraction port

Top feedback rollers for passing timber

Measurement scales for accurate thicknessing

ETP1531AK
315 mm Thicknesser

Included as standard
Dust extraction port

Features
- Produces 10,000 cuts/min for an exceptionally smooth finish
- Maximum thicknessing capacity: 315 x 153 mm
- Large in-feed and out-feed foldable extension tables with rollers – for enhanced support when cutting large materials
- Cutter head moves up and down on 4 pillars for accurate thicknessing
- Top feedback rollers for passing of timber from one side to the other
- Measurement scales for accurate thicknessing
- Anti-kickback safety feature
- Dust extraction adaptor – 50/100 mm

SPECIFICATIONS
Power input: 1,500 watt
No load speed: 10,000 rpm
Max. planing width: 315 mm
Thicknesser capacity: 5 – 153 mm
Max. depth of cut: 0 – 3 mm
No. of blades: 2
Feed rate: 8 m/min
Dust extraction adaptor: 50/100 mm
Cable length: 3 m
Weight: 32 kg

Not available

EBG2515
150 mm Bench Grinder

Included as standard Wheel dressing tool, 2 x integral 10w worklights, coolant tray, 1 x fine, 1 x coarse grinding wheel

Features
- 250 watt motor producing 2,850 rpm
- Adjustable eye-shields (1 with magnifying lens)
- 2 x integral 10 watt worklights – automatically illuminates grinding wheel when in operation
- Wheel dressing tool for cleaning worn or glazed wheels
- 1 x 36 g and 1 x 60 g grinding wheel
- Adjustable tool rest with angle groove
- Tray for storing coolant fluid

SPECIFICATIONS
Power input: 250 watt
No load speed: 2,850 rpm
Wheel size: 150 mm x 20 mm
Bore size: 12.7 mm
Cable length: 3 m
Weight: 11.5 kg

Not available

EBG3720
200 mm Bench Grinder

Included as standard Wheel dressing tool, 2 x integral 10w worklights, coolant tray, 1 x fine, 1 x coarse grinding wheel

Features
- 370 watt motor producing 2,850 rpm
- Adjustable eye-shields (1 with magnifying lens)
- 2 x integral 10 watt worklights – automatically illuminates grinding wheel when in operation
- Wheel dressing tool for cleaning worn or glazed wheels
- 1 x 36 g and 1 x 60 g grinding wheel
- Adjustable tool rest with angle groove
- Tray for storing coolant fluid

SPECIFICATIONS
Power input: 370 watt
No load speed: 2,850 rpm
Wheel size: 200 mm x 25 mm
Bore size: 15.88 mm
Cable length: 3 m
Weight: 18.2 kg

Not available

EBGL2515
150 mm Bench Grinder & 50 mm Linisher

Included as standard
Wheel dressing tool, adjustable worklight, coolant tray, 1 x coarse grinding wheel, 1 x sanding belt

Features
- 250 watt motor producing 2,850 rpm
- Adjustable eye-shield protection
- Adjustable worklight illuminates work area when in operation
- Wheel dressing tool for cleaning worn or glazed wheels
- 1 x 60 g grinding wheel
- Linishing belt for sanding
- Adjustable tool rest
- Tray for storing coolant fluid

SPECIFICATIONS
Power input: 250 watt
No load speed: 2,850 rpm
Wheel size: 150mm x 20 mm
Bore size: 12.7 mm
Belt size: 50 x 686 mm
Linishing speed: 15 m/sec
Cable length: 3 m
Weight: 11.5 kg

Not available

Stands

Step 1

Step 2

Step 3

AMS01
Multifunctional Stand

Features

- Suitable for use with mitre saws, table saws and band saws
- One-hand release mechanism for quick and easy folding
- 5 position height adjustment from 700mm to 1,450mm
- Supports up to 100kg
- On-board tool storage
- Floor fixings for added stability
- Portable design for easy transportation and storage

SPECIFICATIONS

Dimensions: 600 x 640 x 1,450mm
Height adjustment: 700mm - 1,450mm
Weight: 22kg

AFS01
Mitre Saw Stand

Features

- Suitable for use with all Ryobi Mitre Saws
- Floor fixings for added stability
- Portable design for easy transportation and storage

SPECIFICATIONS

Dimensions: 629 x 70 x 1,130 mm
Weight: 12.8 kg

Not available

RRS420
Roller Stand

Features

- Suitable for use with mitre saws and table saws
- Height adjustment from 630 mm to 1,080 mm
- Roller system allows fast feeding of large sheet material
- Robust construction to support extra wide timber
- Portable design for easy transportation and storage

SPECIFICATIONS

Dimensions: 810 x 500 x 135 mm
Height adjustment: 630 mm - 1,080 mm
Weight: 12.5 kg

RRS420G
Roller Ball Stand

Features

- Suitable for use with mitre saws and table saws
- Height adjustment from 630 mm to 1,080 mm
- Roller ball system allows feeding of large sheet material from any direction
- Robust construction to support extra wide timber
- Portable design for easy transportation and storage

SPECIFICATIONS

Dimensions: 810 x 500 x 135 mm
Height adjustment: 630 mm - 1,080 mm
Weight: 12 kg

RRS420W
Roller Ball V-Stand

Features

- Suitable for use with mitre saws and table saws
- Height adjustment from 630 mm to 1,080 mm
- Roller ball system allows feeding of large work piece
- Angle adjustment from 0° to 45°
- Robust construction to support extra wide timber
- Portable design for easy transportation and storage

SPECIFICATIONS

Dimensions: 810 x 500 x 135 mm
Height adjustment: 630mm - 1,080 mm
Weight: 12.5 kg



Wet & Dry Vacs

Wet & Dry Vacs 94

Wet & Dry Vacs

Patented split dual tank system

Wet vacuum drain point for easy emptying

Powerful blower function

Full range of accessories for all your cleaning tasks

EWD5570
7 Litre Wet & Dry Vacuum

Not available

Included as standard
3 x extension wands, 1 x crevice tool, 1 x squeegee, 2 m hose

Features
- Quick and easy to change between vac & blow
- Powerful blower function
- Durable plastic body and container
- Ergonomic handle
- Tools and hoses stored inside body
- Catches for opening dust holder
- Cord wraps around the body for easy storage

SPECIFICATIONS
Power input: 550 watt
Suction power: 70 air watts
Suction capacity: 1.13 m^3/min
Tank capacity: 7.0 L
Max. Sound pressure: 92 dB
Hose length: 2 m
Power cord length: 6 m
Max. Reach: 3.75 m
Weight: 3.2 kg

EWD1245
45 Litre Wet & Dry Vacuum

Included as standard
1 x crevice tool, 1 x wet & dry floor nozzle, 1 x utility nozzle, 2 x extension tubes, 1.8 m hose

Features
- Patented split dual tank system (one tank for dry pick up – one tank for wet pick up)
- Unique quick switch from wet to dry vacuuming
- Powerful blower function
- Wet vacuum drain point for easy emptying
- On-board tool storage for convenience
- Casters for easy manoeuvring

SPECIFICATIONS
Power input: 1,200 watt
Suction power: 205 air watts
Suction capacity: 1.87 m^3/min
Dry capacity: 14.4 L
Wet capacity: 19.7 L
Tank capacity: 45 L
Max. Sound pressure: 88 dB
Hose length: 1.8 m
Hose diameter: 3.17 cm
Power cord length: 10 m
Max. Reach: 13.8 m
Weight: 10.11 kg

Intelligent Measuring Tools

Intelligent Measuring Tools **98**

Intelligent Measuring Tools



3 function switch for horizontal, vertical or intersecting cross laser lines

Features 25 mm fine rise and fall adjustment and 360° rotation with 270° laser projection

Unique AIRgrip technology – sticks to most surfaces, no fixings required

Can be used with a tripod for added flexibility (optional accessory)

SW113SC2
AIRgrip Laser Level

Not available

Included as standard Padded case that stores and protects laser level when not in use. Multifunctional base, hook & loop strap and push pins are provided for attaching the laser level to uneven surfaces, 2 x 1.5v AA batteries

Features

- Unique AIRgrip technology – sticks to most surfaces, no fixings required
- Features non-marking vacuum base
- Laser lens rotates 90º for vertical and horizontal lines
- Laser head rotates 360º for straight lines at any angle
- Laser wraps around corners – perfect for lining up tiles

SPECIFICATIONS

Laser range: 12 m (40')
Accuracy: +/- 2 mm/m
Battery type: 2 x 1.5v AA
Battery Life:
Laser only 40 hr continuous use
W/vacuum 2.5 hr continuous use
Weight: 0.23 kg

SW113J
3 in 1: Stud Sensor, Laser Pointer, Ultrasonic Measure

Not available

Included as standard
1 x 9v battery

Features

- Measures distances, areas and volumes with a laser pointer for accuracy
- Detects wood stud/metal stud, metal and rebar
- Detects wood and metal studs in dry line walls with +/- 6.4 mm (1/4") accuracy
- Laser pointer with multi angle detection
- 3 levelling vials for accuracy
- Dynamic measurement/conversion of readings between imperial and metric
- Low battery indicator

SPECIFICATIONS

Stud sensor measurement:
Wood/metal up to 38 mm (1 1/2")
dry wall with centre accuracy up to +/- 6.4 mm (1/4")
Metal rebar measurement:
Metal rebar up to 50 mm (2") in concrete
Ultrasonic measurement:
600 mm – 1500 mm (2' – 50')
Accuracy:
+/- 0.5% +/- 1 digit
Auto beep stud detection: Yes
Auto shut off: Yes
Battery type: 1 x 9v

RLA200
Self-levelling CrossIt™ Laser with AIRgrip

Included as standard
Padded case, multifunctional adapter, hook & loop strap, push pins, 4 x 1.5v AA batteries

Features

- 3 function switch allows user to choose single horizontal, single vertical or intersecting cross laser lines
- Auto levelling mechanism ensures accuracy
- 360° rotation with 270° laser projection
- 25 mm fine rise and fall adjustment
- Unique AIRgrip technology – sticks to most surfaces, no fixings required with non marking base
- Additional backing plate, top slots and hook & loop strap for attaching to posts, hanging from rails and pinning to rough uneven surfaces
- Ideal for: tiling, molding, dado rail, pictures, drop ceilings, shelving plus many other DIY jobs
- Tripod available as optional extra, see page 112

SPECIFICATIONS

Laser range: 0.3 m - 10 m
Laser rotation: 360°
Laser projection: 270°
Laser height adjustment: 25 mm
Accuracy: +/- 0.84 mm/m
Battery Type: 4 x 1.5v AA
Tripod Fitting: 5/8"

Optional tripod accessory
see page 112

SW109TL
Stud Sensor & Ultrasonic Measure with Laser Pointer

Not available

Included as standard
Pouch, 1 x 9v battery

Features

- Measures distances, areas and volumes with pin-point accuracy
- Locates wood, metal and wiring in dry lined stud walls
- Measures distances using the speed of sound and laser pointer for accuracy
- Adds up continuous lengths for skirting boards, dado rails, picture rails, etc

SPECIFICATIONS

Stud sensor measurement:
Wood/metal up to 38 mm (1 1/2")
dry wall with centre accuracy up to +/- 12.5 mm (1/2")
Ultrasonic measurement:
60 cm – 15 m (2' – 50')
Accuracy:
+/- 0.5%, 0 - 1 digit
Auto beep stud detection: Yes
Auto shut off: Yes
Battery type: 1 x 9v

SW204V
Project Calculator with Laser Pointer and Voice Recording Function

Included as standard
Pouch, 4 x 1.5v AAA batteries

Features
- Measures distances, areas and volumes with a laser pointer for accuracy
- Features voice recording function – no need to make measurement notes
- Calculates areas and volumes for paint, wallpaper, tiles, size of air-conditioning units and radiators
- Addition of lengths function
- Memory in/recall function
- Auto power off
- Low battery indicator

SPECIFICATIONS
Measuring range: 0.6 m-18 m
Accurancy: +/- 0.5% +/- 1 digit
Aperture angle: +/- 5°
Calculation range:
Length: 99.999 m
Area: 420.25 m^2
Volume: 8,615.1 m^3
LCD resolution: 0.01 m
Voice recording time: 20 sec
Battery type: 4 x 1.5v AAA

Not available

SW106S
Large Digital Tape

Included as standard
Spring steel belt clip, 3 x 1.5v button cell batteries

Features
- Sturdy 25 feet (7.5 m) steel tape
- Easy to read 6 digit LCD display
- Addition of up to 99 lengths
- Mid point computation
- Add/subtract the case length
- Conversion between imperial and metric systems
- Memory in/recall
- Display freeze function
- Auto power off after 3 minutes when not in use

SPECIFICATIONS
Tape length: 25 feet (7.5 m)
Tape width: 25 mm
Blade markings: Feet/inches, cumulative inches, metric units
Automatic self calibration: Yes
Auto shut off: Yes
Low battery indicator: Yes
Battery type: 3 x 1.5v button cell batteries

Not available

SW104AA5L
Ultrasonic Measure with Laser Pointer

Included as standard
Pouch, 1 x 9v battery

Features
- Adds lengths, measures distances, areas and volumes with a laser pointer for accuracy
- Easy to read – 5 digit LCD screen
- 'SET' feature to select measurements from top or bottom of case
- Auto power off
- Conversion of readings between imperial and metric
- Light weight and ergonomic
- Features laser pointer for accuracy
- Low battery power indication

SPECIFICATIONS
Ultrasonic measurement: 0.6 - 15 m
Accuracy: +/- 0.5% +/- 1 digit
Calculation range:
Length 99.999 m
Area 420.25 m^2
Volume 8,615.1 m^3
Aperture angle: +/- 0.5° (approx.)
Beam angle: 5°(+/-) at half power
Battery type: 1 x 9v

Not available

SW109U
StudTech Pro™ Wood & Metal Sensor

Included as standard
Pouch, 1 x 9v battery

Features
- Three modes for detecting wood/metal studs, metal and hot un-shielded AC wiring in dry lined and concrete/brick walls
- Audio and LCD indication
- Soft touch rubber grip
- High impact housing
- Auto power off after 2 minutes when not in use
- Low battery indicator
- 9v battery included

SPECIFICATIONS
Stud sensor measurement:
Dry wall depth up to 38 mm for wood and 51 mm for metal and metal rebar
Detects rebar up to 51 mm in concrete and brick

Not available

SW105B
Roller Metre

Included as standard
3 x 1.5v AAA batteries

Features
- Accurately measures distances and calculates total lengths
- Locates and marks distances which can then be divided into a number of sub distances (up to 10 sub distances) – ideal for erecting shelves
- Detects midpoints of a measurement
- Roller metre edge detection allows measurements to be selected from the left or right side of the case
- Features non marking roller wheels for smooth one handed glide action for use on curved or flat surfaces
- Conversion between imperial and metric measurements

SPECIFICATIONS
Measuring range: 0.001 m-99.999 m
Accuracy: 99.95%
Operating temperature: 0°C - 40°C
Auto Shut Off: Yes
Battery type: 3 x 1.5v AAA

Not available

SW109R
StudTech Wood & Metal Sensor

Included as standard
1 x 9v battery

Features
- Detects wood and metal studs in dry line walls with +/- 4 mm (1/6") accuracy
- 3 LEDs to indicate stud approach and edge detection
- Integrated belt clip for convenient carrying
- High impact housing
- Soft touch rubber grip
- Automatic shut off when not in use
- Patented ASIC technology

SPECIFICATIONS
Stud sensor measurement:
Wood/metal stud edge detection on dry wall with accuracy up to +/- 4 mm (1/6")
Auto shut off: Yes
Battery type: 1 x 9v

Not available

Accessories

Power Tool Accessory Sets **104**

Accessories **110**

Power Tool Accessory Sets

Impact resistant storage case


High-grip overmould exterior

Compact storage

Multi-layer storage

RTC0022A
22 Piece QuickChange™ Accessory Set

Features:

QuickChange™ chuck:

- Revolutionary one handed operation enables you to swap accessories quickly and easily

Contents:

- QuickChange™ chuck: 1
- Masonry bits: 3 in 2 sizes 5-6 mm
- HSS drill bits: 4 in 4 sizes 2-5 mm
- 80 mm stubby screw guide: 1
- 25 mm driver bits:
  Slotted 3 in 3 sizes 4-6 mm
  Phillips 3 in 3 sizes #1-3
- 50 mm driver bits:

Type	Total in pack
Slotted	3 in 3 sizes 4-6 mm
Phillips	3 in 3 sizes #1-3
Pozi	1 in 1 size #2

RTC0050A
50 Piece QuickChange™ Accessory Set

Features:

QuickChange™ chuck:

- Revolutionary one handed operation enables you to swap accessories quickly and easily

Contents:

- 50 mm driver bits:

Type	Total in Pack
Slotted	3 in 3 sizes 4-6 mm
Phillips	4 in 3 sizes #1-3
Pozi	5 in 3 sizes #1-3

- 25 mm driver bits:

Slotted	3 in 3 sizes 4-6 mm
Phillips	3 in 3 sizes #1-3
Pozi	3 in 3 sizes #1-3
Hex	3 in 3 sizes #4-6
T	3 in 3 sizes 15-25

- QuickChange™ chuck: 1
- Masonry bits: 4 in 3 sizes 5-7 mm
- HSS drill bits: 5 in 5 sizes 2-6 mm
- Hex shank spade bits: 2 in 2 sizes 16 & 22 mm
- 6 mm tile & glass bit: 1
- Nut drivers: 7 in 7 sizes 5-12 mm
- 6" all-hex bit holder: 1 (chuck extension)
- Socket adaptor: 1
- 80 mm stubby screw guide: 1

RTC0016A
16 Piece Masonry Drill Bit Set

Features:

- Zinc plated to resist corrosion
- Carbide tipped to blast through masonry, brick and concrete

Contents:

- Masonry bits: 16 in 11 sizes 5-16 mm

Not available

RTC0017B
17 Piece Wood Drill Bit Set

Features:

Brad point bit:

- Carbon steel with black oxide coating to reduce friction
- Spur tip to provide accurate and quick starts

Drill stoppers:

- Carbon steel with black oxide coating

Dowel centres:

- Aluminium

Contents:

- Brad point bit: 10 in 8 sizes 3-10 mm
- Drill stoppers: 3 in 3 sizes 3-8 mm
- Dowel centres: 3 in 3 sizes 6-10 mm
- Counter sink: 1

RTC0019A
19 Piece HSS Drill Bit Set

Features:
- Titanium-coated to increase hardness and cutting efficiency and ensures longer life
- 118 degree point for easy penetration
- Ideal for cutting through metal, plastic, wood and many other materials

Contents:
- HSS drill bits:
  19 in 11 sizes 1-8 mm

RTC0030A
30 Piece Mixed Drilling & Driving Set

Contents:
- Masonry bits: 5 in 5 sizes 5-7 mm
- HSS drill bits: 6 in 6 sizes 2-6 mm
- Bradpoint: 5 in 5 sizes 3-8 mm
- 60 mm magnetic bit holder: 1
- Nut drivers: 4 in 4 sizes 6-12 mm
- 25 mm driver bits:

Type	Total in pack
Slotted	3 in 3 sizes 4-6 mm
Phillips	3 in 3 sizes #1-3
Pozi	3 in 3 sizes #1-3

RTC0012A
12 Piece Flat Bit Set

Features:
- Carbon steel with titanium coating for longer life
- Tri-point cutting design for accurate and smooth cutting
- Hex shank to increase bit grip in your chuck

Contents:
- Hex shank spade bits:
  12 in 12 sizes 8-35 mm

Not available

RTC0060A
60 Piece Mixed Drilling & Driving Set

Contents:
- Masonry bits:
  14 in 12 sizes 4-16 mm
- HSS drill bits:
  11 in 7 sizes 1.5-6 mm
- Bradpoint: 10 in 8 sizes 3-10 mm
- 60 mm magnetic bit holder: 1
- Nut drivers: 9 in 9 sizes 5-13 mm
- 25 mm driver bits:

Type	Total in pack
Slotted	4 in 4 sizes 3-6 mm
Phillips	4 in 3 sizes #1-3
Pozi	3 in 3 sizes #1-3
Hex	4 in 4 sizes #3-6

Not available

RTC0015B
15 Piece SDS Drill Bit Set

Features:

SDS drill bit:
- Hardened steel drill bit
- Heavy duty carbide tip with ultra-tough brazing for blasting through brick, masonry and concrete

13 mm keyed chuck:
- Heavy duty chuck and SDS adaptor extends your capability to use standard round-shank drill bits with an SDS drill

Contents:
- SDS drill bit: 12 in 10 sizes
  5 x 110 mm, 7 x 160 mm
- 13 mm keyed chuck, 1.5 - 13 mm: 1
- 45CS chuck key: 1
- SDS chuck adaptor: 1

RTC0050B
50 Piece Screw & Nut Driving Set

Contents:
- 50 mm driver bits:

Type	Total in pack
Slotted	3 in 3 sizes 4-6 mm
Phillips	3 in 3 sizes #1-3

- 25 mm driver bits:

Slotted	5 in 5 sizes 3-7 mm
Phillips	4 in 3 sizes #1-3
Pozi	4 in 3 sizes #1-3
Hex	4 in 4 sizes #3-6
T	6 in 6 sizes 15-40

- Double-ended driver bits:

Type	Total in Pack
SL4/PH1	1
SL5/PH2	1
SL6/PH3	1
PZ1/PZ2	1
Hex3/Hex4	1
Hex5/Hex6	1

- 1/4" socket adapter: 1
- Wood counter sink: 1
- Nut drivers: 8 in 8 sizes 5-13 mm
- 80 mm stubby screw guide: 1
- 3" all-hex bit holder:
  1 (chuck extension)
- HSS pilot drill bits:
  3 in 3 sizes 2-4 mm

RTC015B
115 Piece Screw & Nut Driving Set

Contents:

- 150 mm driver bits:

Type	Total in Pack
Slotted	1 in 1 size 5 mm
Phillips	1 in 1 size #2
Pozi	1 in 1 size #2

- 75 mm driver bits:

Slotted	3 in 3 sizes 4-6 mm
Phillips	3 in 3 sizes #1-3

- 50 mm driver bits:

Slotted	5 in 5 sizes 3-7 mm
Phillips	3 in 3 sizes #1-3
Pozi	3 in 3 sizes #1-3

- 25 mm driver bits:

Slotted	17 in 6 sizes 3-8 mm
Phillips	12 in 4 sizes #0-3
Pozi	12 in 4 sizes #0-3
Hex	13 in 4 sizes #3-6
Square	4 in 3 sizes #1-3
T	8 in 8 sizes #9-40

- Double-ended driver bits:

Type	Total in Pack	Type	Total in Pack
SL4/PH1	2	SL5/PH2	2
SL6/PH3	2	PZ1/PZ2	2
Hex3/Hex4	2	Hex5/Hex6	1

- Nut drivers: 10 in 10 sizes 5-13 mm
- All-hex bit holder: 2 in 2 sizes 3" & 6" (chuck extension)
- HSS pilot drill bits: 3 in 3 sizes 2-4 mm
- Socket adaptor: 1
- Wood counter-sink: 1
- 80mm stubby screw guide: 1

RTC0030B
30 Piece Mixed Jigsaw Blade Set

Features:

- Bayonet fitting
- Innovative push release system

Contents:

- 2 x 100 mm x 6 tpi fast clean cut jigsaw blades
- 3 x 75 mm x 12 tpi scroll cut jigsaw blades
- 10 x 100 mm x 8 tpi fast rough cutjigsaw blades
- 2 x 100 mm x 10 tpi very clean cut jigsaw blades
- 2 x 100 mm x 20 tpi fine finishing jigsaw blades
- 2 x 100 mm x 10 tpi clean upper cut edge jigsaw blades
- 3 x 75 mm x 24 tpi straight cut jigsaw blades
- 3 x 75 mm x 24 tpi curve cut jigsaw blades
- 3 x 75 mm x 14 tpi jigsaw blades

RTC008B
8 Piece 1/4" Shank Router Bit Set

Features:

- High grade tungsten carbide (TCT) cutters
- Powder coated bodies
- Precision-ground double shielded ball bearings

Contents:

- 1/2" Dovetail cutter
- 1/2" Core Box cutter
- 1/4", 1/2" and 3/4" Straight cutter
- 1/4" and 3/8" Roundover cutters
- 5/32" Roman Ogee cutter

new

RTC0018A
18 Piece Reciprocating Blade Set

Contents:

- 3 pce x 6"/185 mm, 6 TPI, Fleam Ground, side set blade
- 3 pce x 6"/152 mm, 10 TPI, Side set blade
- Pruning Blades: 3 pce x 6"/152 mm, 4-5 TPI, fleam ground, set slide blade
- Metal Blades: 3 pce x 6"/152 mm, 24 TPI, wavy set blade; 3 pce x 6"/152 mm, 14 Raker Set blade
- Universal Blades: 3 pce x 6"/152 mm, 10 TPI Side set blade

new

RTC0012B
12 Piece 1/4" Shank Router Bit Set

Contents:

- 1/4", 3/8", 1/2", 3/4" Straight Bits in 1/4" shank
- 1/2" V-Groove Bit in 1/4" shank
- 1/2" Flush Laminate Trimmer Bit in 1/4" shank
- 1/2" Dovetail Router Bit in 1/4" shank
- 1/4", 3/8" Roundover Bits in 1/4" shank
- 45º 11/4" Chamfer Bit in 1/4" shank
- 1/2" Core Box Bit in 1/4" shank
- 1/2" Roman Ogee Bit in 1/4" shank

new

RTC0012C
12 Piece Bi Metal Holesaw Set

Contents:

- Pro-quality HSS BI-Metal Holesaws; 20 ,25, 29, 38, 44, 52, 64 mm Sizes
- 1 x 1/4" Small Arbors
- 1 x 1/4" Large Arbor
- 2 x spare 1/4" Pilot Drills
- 1 x Adapter & Spacer

Accessories

Batteries and Chargers

RYOBI ONE+ 18v System

Model No.	Description	Fits Models
Lithium-Ion		
BPL1815	1 x 18v (1.4Ah) Lithium-Ion Compact Battery	All One+ Products
BPL1815/2	2 x 18v (1.4Ah) Lithium-Ion Compact Batteries	All One+ Products
BLK1815	1 x 18v (1.4Ah) Lithium-Ion Compact Battery & Super Charger	All One+ Products
BLK1815/2	2 x 18v (1.4Ah) Lithium-Ion Compact Batteries & Super Charger	All One+ Products
BPL1820	1 x 18v (2.4Ah) Lithium-Ion Battery	All One+ Products
BPL1820/2	2 x 18v (2.4Ah) Lithium-Ion Batteries	All One+ Products
BLK1820	1 x 18v (2.4Ah) Lithium-Ion Battery & Super Charger	All One+ Products
BLK1820/2	2 x 18v (2.4Ah) Lithium-Ion Batteries & Super Charger	All One+ Products
NiCad		
BPP1817M	1 x 18v (1.7Ah) NiCad Battery	All One+ Products
BPP1817M/2	2 x 18v (1.7Ah) NiCad Batteries	All One+ Products
BCP1817	1 x 18v (1.7Ah) NiCad Battery & Charger	All One+ Products
BCP1817/2SM	2 x 18v (1.7Ah) NiCad Batteries & Charger	All One+ Products
Charger		
BC1815SM	18v NiCad Charger	All One+ Products
BCL1800	Super Charger	All One+ Products

Circular Saw and Planer Blades

Model No.	Description	Fits Models
RSB150A	150 mm diameter x 10 mm bore, 'ultra thin kerf'18 tooth blade	CCS1801/LM, CCS1801/DM
RAK0001PB	50 mm planer strip blade twin pack	CPL180

Reciprocating Saw Blades

Description	Teeth	Length	Quantity	Application	Fits Models
Saw blade	24 tpi	100 mm	5 pack	Steel	CRP1801/DM, ERS80V
Saw blade	18 tpi	140 mm	5 pack	Steel	CRP1801/DM, ERS80V
Saw blade	9 tpi	140 mm	5 pack	Wood	CRP1801/DM, ERS80V
Saw blade	24 tpi	140 mm	5 pack	Steel	CRP1801/DM, ERS80V
Saw blade set	-	-	3 pack	Mixed set	CRP1801/DM, ERS80V

Sanding Accessories

Model No.	Description	Fits Models
ASP00102	10 x assorted sanding sheets	ECS1214N, CCC1801M
ALP00022	2 x light duty scrubbing pads	ECS1214N, CCC1801M
AHP00022	2 x heavy duty scrubbing pads	ECS1214N, CCC1801M
APP00022	2 x polishing pads	ECS1214N, CCC1801M

Cordless Accessories

Type	Description	Ah	Fits Models
12v Lithium-Ion Battery			
BPL1220	12v battery	1.2 Ah	All 12v Lithium compact cordless power tools range
24v NiCad Batteries			
BPS2420	24v battery	2.0 Ah	CRH240RE
18v NiCad Batteries			
BPP1817M	18v battery	1.7 Ah	All One Plus, CHP1802, CHD1802
14.4v NiCad Batteries			
BPP1417	14.4v battery	1.7 Ah	CHD1442, CHI1442
BPP1413	14.4v battery	1.3 Ah	CHD1441
12v NiCad Batteries			
BPP1213	12v battery	1.3 Ah	CHD1201
BPP1217	12v battery	1.7 Ah	CHD1202
Chargers			
MSBC2400	24v charger	-	CRH240RE
BC1815SM	18v charger	-	All One Plus, CHP1802, CHI1802
BC1415S	14.4v charger	-	CHD1442, CHD1441, CHI1442
BC1215	12v charger	-	CHD1202, CHD1201

Power Mixer Accessories

Application	Diameter
Mixing fan (steel) - mixes: plaster for high speed rotation For model PMT1362	100 mm
Mixing fan (steel) - mixes: plaster for high speed rotation For model PMT1362	150 mm
Mixing fan (stainless steel) - mixes: plaster for high speed rotation For model PMT1362	100 mm
Mixing fan (stainless steel) - Mixes: plaster for high speed rotation For model PMT1362	150 mm
Mixing fan - mixes: mastics, plaster for low speed rotation For model PMT1362	180 mm
Screw propeller - mixes: mortar, mastic (standard propeller fitted to machine) For model PMT1362	135 mm
Screw propeller - mixes: plaster For model PMT1362	135 mm
Shaft (threaded) For model PMT1362	500 mm length
Shaft (threaded) For model PMT1362	600 mm length
Tightening screw (for fixing propellers & fans to shaft) For model PMT1362	-
Hex head bolt (fits to parts 6101175 & 6101090) For model PMT1362	M6 x 18

Mixing Fan

Screw Propeller

Screw Propeller

Mixing Fan

Screwdriver Accessories & Screws

Part No.	Description	Fits Models
ASD50 ASD50 Kit to fit ES-6040V Accepts collated screws 25-50 mm (comes as standard equipment with ESD6040V)	50 mm Auto-feed Nose	ESD6040V
ASD75 ASD75 Kit to fit ESD-6040V Extends collated screw capacity from 50 mm to 75 mm	7 5mm Extension piece	ESD6040V

	Size	Quantity	Fits Models
Drywall screws, phosphate, coarse thread, phillips			
	3,5 x 25 mm	1000 screws	ESD6040V
	3,5 x 35 mm	1000 screws	ESD6040V
	3,5 x 45 mm	1000 screws	ESD6040V
Drywall screws, phosphate, coarse thread, philips			
	3,9 x 35 mm	1000 screws	ESD6040V
	3,9 x 45 mm	1000 screws	ESD6040V
Drywall screws with drillpoint			
	3,5 x 25 mm	1000 screws	ESD6040V
	3,5 x 35 mm	1000 screws	ESD6040V

Intelligent Measuring Accessories

Type	Description	Fits Models
RTP001	Tripod for Self-levelling CrossIt™ Laser with AIRgrip	SW113X

Image shown is for reference only SW113X Self-levelling CrossIt™ is not included.

Floor Stands

Description	Fits Models
Floor Stand	RBS3080UK

Wet & Dry Vacs - Bags & Filters

Description	Fits Models
Cartridge filter	EWD1245TA & EWD1260TA
Large foam filter	EWD1245TA & EWD1260TA
Small foam filter	EWD1245TA & EWD1260TA
Filter bags	EWD5570

Hammer Accessories

Description	Fits Models
13 mm drill chuck, chuck key SDS PLUS adaptor with thread and screw	ERH650V ERH750V

Index

Contents 2-3

New Products 4-5

One Plus 6-13

One Plus Batteries & Chargers 14-15

BPL1815	1 x 18v (1.4Ah) Lithium-Ion Compact Battery	15
BPL1820	1 x 18v (2.4Ah) Lithium-Ion Battery	15
BPP1817M	1 x 18v (1.7Ah) NiCad Battery	15
BCL1800	Super Charger	15
BC1815SM	1 x 18v NiCad Charger	15

Battery & Charger Combinations 16-17

BPL1815	1 x 18v (1.4Ah) Lithium-Ion Compact Battery	16
BPL1815/2	2 x 18v (1.4Ah) Lithium-Ion Compact Batteries	16
BLK1815	1 x 18v (1.4Ah) Lithium-Ion Compact Battery & Super Charger	16
BLK1815/2	2 x 18v (1.4Ah) Lithium-Ion Compact Batteries & Super Charger	16
BPL1820	1 x 18v (2.4Ah) Lithium-Ion Battery	16
BPL1820/2	2 x 18v (2.4Ah) Lithium-Ion Batteries	16
BLK1820	1 x 18v (2.4Ah) Lithium-Ion Battery & Super Charger	16
BLK1820/2	2 x 18v (2.4Ah) Lithium-Ion Batteries & Super Charger	16
BPP1817M	1 x 18v (1.7Ah) NiCad Battery	17
BPP1817M/2	2 x 18v (1.7Ah) NiCad Batteries	17
BCP1817	1 x 18v (1.7Ah) NiCad Battery & Charger	17
BCP1815/2SM	2 x 18v (1.7Ah) NiCad Batteries & Charger	17

Additional Chargers & Fuel Gauge 17

CB18CL	NiCad In-car Charger	17
BCS618	18v Maintenance Station	17
BFG1218	Battery Fuel Gauge	17

One Plus Tools 18-29

CDI1803M	18v 3-Speed Hammer/Drill/Driver	18
CHI1802M	18v 2-Speed Hammer/Drill/Driver	19
CDA1802M	18v Autoshift 2 Speed Drill/Driver	19
LCD1802M	18v 2-Speed Compact Drill/Driver	19
BID1821M	18v Impact Driver	20
CHP1802M	18v 2-Speed Drill/Driver	21
CHD1801M	18v Drill/Driver	21
CAP1801M	18v Angle Drill	21
CCS1801/LM	18v Circular Saw with Laser	22
LCS180	18v Circular Saw	22
CJS180LM	18v Jigsaw with Laser	23
CRP1801/DM	18v Reciprocating Saw	23
LRS180	18v Reciprocating Saw	23
CSS1801M	18v Rotary Cutter	23
CCC1801M	18v Corner Sander	24
CRO180M	18v 125mm Random Orbit Sander	25
CAG180M	18v Angle Grinder	25
CST180M	18v Stapler	25
CNS1801M	18v Nailer/Stapler	25
CPL180M	18v Planer	26
CCG1801M	18v Caulking Gun	27
CRA180M	18v MP3 Compatible Radio	27
CP180M	18v Inflator	27
CFA180M	18v Fan	27
CML180M	18v Flashlight	28
LFP1802S	18v Torch	
CFP180FM	18v Fluorescent Light	29
OWD1801M	18v Wet/Dry Canister Vac	29
CHV18WDM	18v Wet/Dry Hand Vac	29

One Plus Kits 30-33

CHI1802L/BG	Lithium-Ion Starter Kit	31
LCD18021B	Compact Drill Driver Kit	31
CHI1802M/BGSC	NiCad Starter Kit	32
CCK18/2006SC	2 Piece Kit	32
CCK18/2007SC	2 Piece Kit	32
CCK18/2008SC	2 Piece Kit	33
CCK18/3004SC	3 Piece Kit	33

One Plus Tool Bags 34-35

UTB2	Tool Bag	34
UTB3	Small Heavy Duty Tool Bag	35
UTB4	Medium Heavy Duty Tool Bag	35
UTB6	Large Heavy Duty Tool Bag	35
UTB7	Universal Tool Bag	35

12v Lithium-Ion Compact Cordless Tools 36-43

LSD1201PB	12v Drill Driver	40
BID1201	12v Impact Driver	41
CR1201	12v Reciprocating Saw	41
CS1201	12v Circular Saw	41
CLK124	4 Piece Kit	43
CKF120LM	12v Torch	43
BPL1220	12v (1.2Ah) Lithium-Ion Battery	43

Cordless Tools 44-53

CSD4030G	4v Lithium-Ion Screwdriver	47
CSD480CL	4.8v Pistol Grip Screwdriver	47
CSD3612G	3.6v Screwdriver	47
CDA18021B	18v Autoshift 2-Speed Drill/Driver	49
LCD18021B	18v 2-Speed Compact Drill/Driver	49
CHP1802	18v 2-Speed Drill/Driver	49
CHD1442	14.4v 2-Speed Drill/Driver	50
CHD1441	14.4v Drill/Driver	51
CHD1202	12v 2-Speed Drill/Driver	51
CHD1201	12v Drill/Driver	51
CRH240RE	24v SDS-Plus Rotary Hammer	53
CHI1802	18v 2-Speed Hammer/Drill/Driver	53
CHI1442	14.4v 2-Speed Hammer/Drill/Driver	53

Corded Power Tools 54-80

Impact Drills & Mixer 58-59

EID500RE	500w Impact Drill	58
EID750REN	750w Impact Drill	59
EID8002RE	800w 2-Speed Impact Drill	59
EID1002RE	1050w 2-Speed Impact Drill	59
PMT1362	2-Speed Power Mixer	59

Rotary Hammer Drills 60-61

ERH650V	650w SDS-Plus Rotary Hammer Drill	61
ERH750V	710w* SDS-Plus 'ROTO STOP' Rotary Hammer Drill	61

Screwdrivers 62-63

ESD6040V	Auto-feed Screwdriver	63

Index

Grinders & Cutters 64-65

G1156	115mm (4½") Angle Grinder	64
EAG8011	115mm (4½") Angle Grinder	64
EAG8012	125mm (5") Angle Grinder	65
EAG8512R	125mm (5") Angle Grinder	65
EAG2023CN	230mm (9") Angle Grinder (230v)	65
EAG2023CN-1	230mm (9") Angle Grinder (110v)	65
ECO2335	355mm (14") Cut Off Saw (230v)	65
ECO1835	355mm (14") Cut Off Saw (110v)	65

Sheet Sanders 66-67

ESS3215V	½ Sheet Sander	67
ESS1890C	⅓ Sheet Sander	67
ESS2590V	⅓ Sheet Sander	67
EOS2410N	¼ Sheet Palm Sander	67

Sanders 68-69

ECS1214N	Corner Sander	68
ERO2412VN	125mm Random Orbit Sander	69
EBS9576VF	76mm (3") Belt Sander	69
EBS8021V	76mm (3") Belt Sander	69
EBS1310V	100mm (4") Belt Sander	69

Saws 70-73

EJS500QEO	500w Jigsaw	71
EJS600QEO	600w Jigsaw	71
EJS710QEO	710w Jigsaw	71
ERS80V	Variable Speed Reciprocating Saw	73
EWS1266	190mm (7½") Circular Saw	73
EWS1366	190mm (7½") Laser Circular Saw	73

Planers 74-75

EPN6082C	600w Planer	75
EPN7582N	750w Planer	75

Routers & Router Tables 76-77

ERT2100V	½" 2100w Router	76
ERT1500V	½" 1350w Router	77
ERT1150VN	¼" 1150w Router	77
ERT1150VN/RT3	Router Table with ¼" 1150w Router	77
ART03	Router Table	77

Heat Guns 78-79

EHG2002C	Heat Gun	79
EHG2002LED	LED Heat Gun	79
EHG2002LCD	Heat Gun Kit	79

Benchtop 80-91

Mitre Saws 82-83

EMS1122L	210mm (8¼") Mitre Saw with Laser	82
EMS1426L	254mm (10") Mitre Saw With Laser	83
EMS2026SCL	254mm (10") Sliding Mitre Saw With Laser	83
EMS2431SCL	315mm (12") Mitre Saw with Laser	83

Table Saws & Band Saw 84-85

ETS1526AL	254mm (10") Table Saw	84
ETS1525SC	254mm (10") Table Saw with Sliding Carriage	85
ETS1825	254mm (10") Folding Table Saw	85
RBS3080UK	254mm (10") Band Saw	85

Drill Press 86-87

EDP5530L	305mm (12") Drill Press with Variable Speed and Laser	87

Thicknesser & Bench Grinders 88-89

ETP1531AK	315mm Thicknesser	88
EBG2515	150mm Bench Grinder	89
EBG3720	200mm Bench Grinder	89
EBGL2515	150mm Bench Grinder & 50mm Linisher	89

Stands 90-91

AMS01	Multifunctional Stand	90
AFS01	Mitre Saw Stand	91
RRS420	Roller Stand	91
RRS420G	Roller Ball Stand	91
RRS420W	Roller Ball V-Stand	91

Wet & Dry Vacs 92-95

EWD5570	7 Litre Wet & Dry Vacuum	95
EWD1245TA	45 Litre Wet & Dry Vacuum	95

Intelligent Measuring Tools 96-101

SW113X	Self-leveling CrossIt™ Laser with AIRgrip	98
SW113SC2	AIRgrip Laser Level	99
SW113J	3 in 1: Stud Sensor, Laser Pointer, Ultrasonic Measure	99
SW109TL	Stud Sensor & Ultrasonic Measure with Laser Pointer	99
SW204V	Project Calculator with Laser Pointer and Voice Recording Function	100
SW104AA5L	Ultrasonic Measure with Laser Pointer	100
SW105B	Roller Metre	100
SW106S	Large Digital Tape	101
SW109U	StudTech Pro™ Wood & Metal Sensor	101
SW109R	StudTech Wood & Metal Sensor	101

Power Tool Accessory Sets 104-109

RTC0022A	22 Piece QuickChange™ Accessory Set	105
RTC0050A	50 Piece QuickChange™ Accessory Set	105
RTC0016A	16 Piece Masonry Drill Bit Set	105
RTC0017A	17 Piece Wood Drill Bit Set	105
RTC0019A	19 Piece HSS Drill Bit Set	106
RTC0012A	12 Piece Flat Bit Set	106
RTC0015A	15 Piece SDS Drill Bit Set	106
RTC0030A	30 Piece Mixed Drilling & Driving Bit Set	107
RTC0060A	60 Piece Mixed Drilling & Driving Set	107
RTC0050B	50 Piece Screw & Nut Driving Set	107
RTC0115A	115 Piece Screw & Nut Driving Set	108
RTC008A	8 Piece ¼" Shank Router Bit Set	108
RTC0012B	12 Piece ¼" Shank Router Bit Set	108
RTC0030B	30 Piece Jigsaw Blade Set	109
RTC0018A	18 Piece Reciprocating Blade Set	109
RTC0012C	12 Piece Bi Metal Holesaw Set	109

Accessories 110-112

Key

- Keyless chuck
- Variable speed control
- Electronic variable speed control
- Forward/reverse operation
- Electronic brake
- Hammer action
- Recyclable battery pack
- 1 hour charger
- 3-5 hour charger
- 3-6 hour charger
- Torque settings
- Orbital stroke action
- Spindle lock
- Dust extraction
- Speed regulator dial
- Available in 110v
- Available in 230v
- Automatic cut-off carbon brushes
- Grease packed lubrication
- Electronic 'Soft Start'
- Safety clutch
- Double insulation
- Carry bag
- Carry case
- Wet vac
- Dry vac
- Blower function
- Laser Light
- Soft Grip
- 2 Gears
- Magnet
- Auxiliary handle

RYOBI

Ryobi also have a comprehensive range of garden power tools – see the new Lawn & Garden 2009 product catalogue